according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



1C COLD WOOD GLUE D4 - 12 KG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 17.04.2023

 8.1
 26.07.2023
 10778543-00011
 Date of first issue: 11.06.2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : 1C COLD WOOD GLUE D4 - 12 KG

Product code : 0892100222

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Adhesives

stance/Mixture Professional use product

Recommended restrictions : N

on use

: Not applicable

1.3 Details of the supplier of the safety data sheet

Company : Adolf Wuerth GmbH & Co. KG

Reinhold-Würth-Str. 12-17

74653 Künzelsau

Telephone : +49 794015 0

Telefax : +49 794015 10 00

E-mail address of person

responsible for the SDS

: isi@wuerth.com

1.4 Emergency telephone number

+49 (0)6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Additional Labelling

EUH210 Safety data sheet available on request.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



1C COLD WOOD GLUE D4 - 12 KG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 17.04.2023

 8.1
 26.07.2023
 10778543-00011
 Date of first issue: 11.06.2010

EUH208 Contains Formaldehyde. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name Propylene carbonate	CAS-No. EC-No. Index-No. Registration number	Classification Eye Irrit. 2; H319	Concentration (% w/w) >= 1 - < 10
1 Topylone salbonate	203-572-1 607-194-00-1 01-2119537232-48	Lyc IIII. 2, 11010	7=1 (10
Aluminum chloride, basic	1327-41-9 215-477-2 01-2119531563-43	Met. Corr. 1; H290 Eye Dam. 1; H318	>= 1 - < 3
Formaldehyde	50-00-0 200-001-8 605-001-00-5	Flam. Gas 1B; H221 Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Muta. 2; H341 Carc. 1B; H350 STOT SE 3; H335 ———————————————————————————————————	< 0,1

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



1C COLD WOOD GLUE D4 - 12 KG

Version 8.1			Date of last issue: 17.04.2023 Date of first issue: 11.06.2010	
			>= 5 % Skin Sens. 1A; H317 >= 0,2 %	
			Acute toxicity esti- mate	
			Acute oral toxicity: 100 mg/kg Acute inhalation toxicity (gas): 100 ppm Acute dermal toxicity: 270 mg/kg	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Protection of first-aiders : No special precautions are necessary for first aid responders.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



1C COLD WOOD GLUE D4 - 12 KG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 17.04.2023

 8.1
 26.07.2023
 10778543-00011
 Date of first issue: 11.06.2010

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx)

Metal oxides

Chlorine compounds

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary. Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers)

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



1C COLD WOOD GLUE D4 - 12 KG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 17.04.2023

 8.1
 26.07.2023
 10778543-00011
 Date of first issue: 11.06.2010

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety

practice, based on the results of the workplace exposure as-

sessment

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep in properly labelled containers. Store in accordance with

the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Gases

Storage class (TRGS 510) : 10

Recommended storage tem- :

perature

10 - 30 °C

Further information on stor-

age stability

Protect from frost.

7.3 Specific end use(s)

Specific use(s) : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



1C COLD WOOD GLUE D4 - 12 KG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 17.04.2023

 8.1
 26.07.2023
 10778543-00011
 Date of first issue: 11.06.2010

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Propylene car-	108-32-7	AGW (Vapour	2 ppm	DE TRGS
bonate		and aerosols)	8,5 mg/m3	900
	Peak-limit: excursion factor (category): 1;(I)			
	Further information: When there is compliance with the OEL and biological			
	tolerance values, there is no risk of harming the unborn child			
Formaldehyde	50-00-0	TWA	0,3 ppm	2004/37/EC
			0,37 mg/m3	
	Further information: Dermal sensitisation, Carcinogens or mutagens			
		STEL	0,6 ppm	2004/37/EC
			0,74 mg/m3	
	Further information: Dermal sensitisation, Carcinogens or mutagens			
		AGW	0,3 ppm	DE TRGS
			0,37 mg/m3	900
	Peak-limit: excursion factor (category): 2;(I)			
	Further information: Carcinogenic substance Cat. 1A or 1B or carcinogenic			
	activity or procedure according to § 2 (3) No. 4 of the Hazardous Substances			
	Ordinance - in addition, § 10 GefStoffV must be observed, When there is			
	compliance with the OEL and biological tolerance values, there is no risk of			
	harming the unborn child, Substance sensitizing through the skin			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Propylene carbonate	Workers	Inhalation	Long-term systemic effects	70,53 mg/m3
	Workers	Inhalation	Long-term local ef- fects	20 mg/m3
	Workers	Skin contact	Long-term systemic effects	20 mg/kg bw/day
	Workers	Skin contact	Long-term local ef- fects	10 mg/cm2
	Consumers	Inhalation	Long-term systemic effects	17,4 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	10 mg/m3
	Consumers	Skin contact	Long-term systemic effects	10 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	10 mg/kg bw/day
Aluminum chloride, basic	Workers	Inhalation	Long-term systemic effects	16,4 mg/m3
	Workers	Skin contact	Long-term systemic effects	4,6 mg/kg bw/day

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



1C COLD WOOD GLUE D4 - 12 KG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 17.04.2023

 8.1
 26.07.2023
 10778543-00011
 Date of first issue: 11.06.2010

	Consumers	Inhalation	Long-term systemic effects	4 mg/m3
	Consumers	Skin contact	Long-term systemic effects	2,32 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2,32 mg/kg bw/day
Formaldehyde	Workers	Inhalation	Long-term systemic effects	9 mg/m3
	Workers	Inhalation	Long-term local ef- fects	0,375 mg/m3
	Workers	Inhalation	Acute local effects	0,75 mg/m3
	Workers	Skin contact	Long-term systemic effects	240 mg/kg bw/day
	Workers	Skin contact	Long-term local ef- fects	0,037 mg/cm2
	Consumers	Inhalation	Long-term systemic effects	3,2 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	0,1 mg/m3
	Consumers	Skin contact	Long-term systemic effects	102 mg/kg bw/day
	Consumers	Skin contact	Long-term local ef- fects	0,012 mg/cm2
	Consumers	Ingestion	Long-term systemic effects	4,1 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Propylene carbonate	Fresh water	0,9 mg/l
	Freshwater - intermittent	9 mg/l
	Marine water	0,09 mg/l
	Marine water - intermittent	0,9 mg/l
	Sewage treatment plant	7400 mg/l
	Soil	0,81 mg/kg dry weight (d.w.)
Aluminum chloride, basic	Fresh water	0,0003 mg/l
	Marine water	0,00003 mg/l
	Sewage treatment plant	20 mg/l
Formaldehyde	Fresh water	0,44 mg/l
	Freshwater - intermittent	4,44 mg/l
	Marine water	0,44 mg/l
	Sewage treatment plant	0,19 mg/l
	Fresh water sediment	2,3 mg/kg dry weight (d.w.)
	Marine sediment	2,3 mg/kg dry weight (d.w.)
	Soil	0,2 mg/kg dry weight (d.w.)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



1C COLD WOOD GLUE D4 - 12 KG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 17.04.2023

 8.1
 26.07.2023
 10778543-00011
 Date of first issue: 11.06.2010

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Personal protective equipment

Eye/face protection : Please follow all applicable local/national requirements when

selecting protective measures for a specific workplace.

Wear the following personal protective equipment:

Safety glasses

Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Equipment should conform to DIN EN 166

Hand protection

Material : Nitrile rubber Glove thickness : 0,38 mm

Directive : Equipment should conform to DIN EN 374

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the product. Change

gloves often!

Skin and body protection : Skin should be washed after contact.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Equipment should conform to DIN EN 14387

Filter type : Combined inorganic gas/vapour and organic vapour type (AB)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : white

Odour : slight

Odour Threshold : No data available

Melting point/freezing point : ca. 0 °C

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



1C COLD WOOD GLUE D4 - 12 KG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 17.04.2023

 8.1
 26.07.2023
 10778543-00011
 Date of first issue: 11.06.2010

Initial boiling point and boiling :

range

ca. 100 °C

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : > 100 °C

Auto-ignition temperature : No data available

Decomposition temperature : >= 100 °C

pH : 2,6 - 3,2

Concentration: 100 %

concentrate

Viscosity

Viscosity, dynamic : 3.500 - 8.000 mPa.s (20 °C)

Method: Brookfield

Viscosity, kinematic : > 20,5 mm2/s (40 °C)

Solubility(ies)

Water solubility : completely miscible

Partition coefficient: n-

octanol/water

: Not applicable

Vapour pressure : 23 hPa (20 °C)

Density : 1,02 - 1,1 g/cm³ (20 °C)

Relative vapour density : No data available

Particle characteristics

Particle size : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



1C COLD WOOD GLUE D4 - 12 KG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 17.04.2023

 8.1
 26.07.2023
 10778543-00011
 Date of first issue: 11.06.2010

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Inhalation

exposure Skin contact

Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Propylene carbonate:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Aluminum chloride, basic:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icity

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



1C COLD WOOD GLUE D4 - 12 KG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 17.04.2023

 8.1
 26.07.2023
 10778543-00011
 Date of first issue: 11.06.2010

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Formaldehyde:

Acute oral toxicity : Acute toxicity estimate: 100 mg/kg

Method: Expert judgement

Acute inhalation toxicity : Acute toxicity estimate: 100 ppm

Exposure time: 4 h
Test atmosphere: gas
Method: Expert judgement

Acute dermal toxicity : LD50 (Rabbit): 270 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Method : OECD Test Guideline 439

Result : No skin irritation

Components:

Propylene carbonate:

Species : Rabbit

Result : No skin irritation

Aluminum chloride, basic:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Formaldehyde:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Method : OECD Test Guideline 437

Result : No eye irritation

Components:

Propylene carbonate:

Species : Rabbit

Method : OECD Test Guideline 405

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



1C COLD WOOD GLUE D4 - 12 KG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 17.04.2023

 8.1
 26.07.2023
 10778543-00011
 Date of first issue: 11.06.2010

Result : Irritation to eyes, reversing within 21 days

Aluminum chloride, basic:

Species : Rabbit

Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

Formaldehyde:

Species : Rabbit

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Aluminum chloride, basic:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse Result : negative

Formaldehyde:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : positive

Assessment : Probability or evidence of high skin sensitisation rate in hu-

mans

Germ cell mutagenicity

Not classified based on available information.

Components:

Propylene carbonate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



1C COLD WOOD GLUE D4 - 12 KG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 17.04.2023

 8.1
 26.07.2023
 10778543-00011
 Date of first issue: 11.06.2010

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Aluminum chloride, basic:

Genotoxicity in vitro : Test Type: in vitro micronucleus test

Method: OECD Test Guideline 487

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

Formaldehyde:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: positive

Test Type: Chromosome aberration test in vitro

Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: Inhalation

Result: positive

Germ cell mutagenicity- As-

sessment

Positive result(s) from in vivo mammalian somatic cell muta-

genicity tests.

Carcinogenicity

Not classified based on available information.

Components:

Propylene carbonate:

Species : Mouse
Application Route : Skin contact
Exposure time : 104 weeks

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



1C COLD WOOD GLUE D4 - 12 KG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 17.04.2023

 8.1
 26.07.2023
 10778543-00011
 Date of first issue: 11.06.2010

Result : negative

Formaldehyde:

Species : Rat

Application Route : inhalation (gas)
Exposure time : 28 Months
Result : positive

Carcinogenicity - Assess-

ment

Sufficient evidence of carcinogenicity in animal experiments

Reproductive toxicity

Not classified based on available information.

Components:

Propylene carbonate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Ingestion

Result: negative

Aluminum chloride, basic:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Effects on foetal develop-

ment

Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Formaldehyde:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: inhalation (gas)

Result: negative

STOT - single exposure

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



1C COLD WOOD GLUE D4 - 12 KG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 17.04.2023

 8.1
 26.07.2023
 10778543-00011
 Date of first issue: 11.06.2010

Components:

Formaldehyde:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Components:

Formaldehyde:

Exposure routes : inhalation (gas)

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Propylene carbonate:

Species : Rat

NOAEL : > 5.000 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Aluminum chloride, basic:

Species : Rat

NOAEL : 200 mg/kg LOAEL : 1.000 mg/kg Application Route : Ingestion Exposure time : 28 - 53 Days

Method : OECD Test Guideline 422

Formaldehyde:

Species : Rat
NOAEL : 6 ppm
LOAEL : 10 ppm

Application Route : inhalation (gas)

Exposure time : 28 Days

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



1C COLD WOOD GLUE D4 - 12 KG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 17.04.2023

 8.1
 26.07.2023
 10778543-00011
 Date of first issue: 11.06.2010

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Propylene carbonate:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 1.000 mg/l

Exposure time: 96 h

Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1.000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Selenastrum capricornutum (green algae)): > 929 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Selenastrum capricornutum (green algae)): 929 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (Pseudomonas putida): 25.619 mg/l

Exposure time: 16 h Method: DIN 38 412 Part 8

Aluminum chloride, basic:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1 -

10 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : > 1.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Ecotoxicology Assessment

Chronic aquatic toxicity : No toxicity at the limit of solubility

Formaldehyde:

Toxicity to fish : LC50 : 6,7 mg/l

Exposure time: 96 h

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



1C COLD WOOD GLUE D4 - 12 KG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 17.04.2023

 8.1
 26.07.2023
 10778543-00011
 Date of first issue: 11.06.2010

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia pulex (Water flea)): 5,8 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 4,89 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : 34,1 mg/l

Exposure time: 120 h

Toxicity to fish (Chronic tox-

icity)

NOEC: >= 48 mg/l

Exposure time: 28 d

Species: Oryzias latipes (Orange-red killifish)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: >= 6,4 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

12.2 Persistence and degradability

Components:

Propylene carbonate:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 90 % Exposure time: 28 d

Method: Directive 67/548/EEC Annex V, C.4.A.

Formaldehyde:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 91 % Exposure time: 14 d

Method: OECD Test Guideline 301C

Remarks: Based on data from similar materials

12.3 Bioaccumulative potential

Components:

Propylene carbonate:

Partition coefficient: n-

octanol/water

log Pow: -0,48

Formaldehyde:

Partition coefficient: n-

octanol/water

log Pow: 0,35

Remarks: Calculation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



1C COLD WOOD GLUE D4 - 12 KG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 17.04.2023

 8.1
 26.07.2023
 10778543-00011
 Date of first issue: 11.06.2010

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

Waste Code : The following Waste Codes are only suggestions:

used product

08 04 10, waste adhesives and sealants other than those

mentioned in 08 04 09

unused product

08 04 10, waste adhesives and sealants other than those

mentioned in 08 04 09

uncleaned packagings

20 03 01, mixed municipal waste

Acc. Packaging Act properly emptied packaging:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



1C COLD WOOD GLUE D4 - 12 KG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 17.04.2023

 8.1
 26.07.2023
 10778543-00011
 Date of first issue: 11.06.2010

Properly emptied, non-contaminated packaging of non-hazardous products can be supplied to a system for the col-

lection of sales packaging.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



1C COLD WOOD GLUE D4 - 12 KG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 17.04.2023

 8.1
 26.07.2023
 10778543-00011
 Date of first issue: 11.06.2010

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 75

If you intend to use this product as tattoo ink, please contact your ven-

dor.

Formaldehyde (Number on list 72,

28)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

: Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Water hazard class (Germa-

ny)

WGK 1 slightly hazardous to water

Classification according to AwSV, Annex 1 (5.2)

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: < 0,5 %, < 5,3 g/l

Remarks: VOC content excluding water

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



1C COLD WOOD GLUE D4 - 12 KG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 17.04.2023

 8.1
 26.07.2023
 10778543-00011
 Date of first issue: 11.06.2010

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H221 : Flammable gas.

H290 : May be corrosive to metals.

H301 : Toxic if swallowed.

H311 : Toxic in contact with skin.

H314 : Causes severe skin burns and eye damage.

H317 : May cause an allergic skin reaction.

H318 : Causes serious eye damage. H319 : Causes serious eye irritation.

H330 : Fatal if inhaled.

H335 : May cause respiratory irritation. H341 : Suspected of causing genetic defects.

H350 : May cause cancer.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Carc. : Carcinogenicity
Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation
Flam. Gas : Flammable gases
Met. Corr. : Corrosive to metals
Muta. : Germ cell mutagenicity

Skin Corr. : Skin corrosion
Skin Sens. : Skin sensitisation

STOT SE : Specific target organ toxicity - single exposure

2004/37/EC : Europe. Directive 2004/37/EC on the protection of workers

from the risks related to exposure to carcinogens or mutagens

at work

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

2004/37/EC / STEL : Short term exposure limit 2004/37/EC / TWA : Long term exposure limit DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization;

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



1C COLD WOOD GLUE D4 - 12 KG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 17.04.2023

 8.1
 26.07.2023
 10778543-00011
 Date of first issue: 11.06.2010

KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

DE / EN