according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **ACTIVATOR - 150 ML**

Version Revision Date: SDS Number: Date of last issue: 26.07.2023 10.2 31.10.2023 10780559-00015 Date of first issue: 11.06.2010

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ACTIVATOR - 150 ML

Product code : 089330120

Unique Formula Identifier

(UFI)

: EWR8-30QA-7009-SMXK

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Additive

stance/Mixture Professional use product

Recommended restrictions

on use

: Not applicable

1.3 Details of the supplier of the safety data sheet

Company : Adolf Wuerth GmbH & Co. KG

Reinhold-Würth-Str. 12-17

74653 Künzelsau

Telephone : +49 794015 0

Telefax : +49 794015 10 00

E-mail address of person

responsible for the SDS

isi@wuerth.com

1.4 Emergency telephone number

+49 (0)6132 - 84463

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1 H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated.

Skin irritation, Category 2 H315: Causes skin irritation.

Specific target organ toxicity - single ex-

posure, Category 3

H336: May cause drowsiness or dizziness.

1/24

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **ACTIVATOR - 150 ML**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.07.2023

 10.2
 31.10.2023
 10780559-00015
 Date of first issue: 11.06.2010

Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters air-

ways.

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :









Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Storage:

P410 + P412 Protect from sunlight. Do not expose to tem-

peratures exceeding 50 °C/ 122 °F.

#### Hazardous components which must be listed on the label:

Heptane

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **ACTIVATOR - 150 ML**

Date of last issue: 26.07.2023 Version Revision Date: SDS Number: 10.2 31.10.2023 10780559-00015 Date of first issue: 11.06.2010

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Heptane	142-82-5 205-563-8 601-008-00-2	Flam. Liq. 2; H225 Skin Irrit. 2; H315 STOT SE 3; H336 Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 25 - < 30
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
N,N-dimethyl-p-toluidine	99-97-8 202-805-4 612-056-00-9	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Carc. 2; H351 STOT RE 2; H373 (Reproductive organs) Aquatic Chronic 3; H412	>= 0,25 - < 1
		Acute toxicity esti- mate	
		Acute oral toxicity: 100 mg/kg Acute inhalation tox- icity (vapour): 1,4 mg/l Acute dermal toxicity: 300 mg/kg	

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **ACTIVATOR - 150 ML**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.07.2023

 10.2
 31.10.2023
 10780559-00015
 Date of first issue: 11.06.2010

# **SECTION 4: First aid measures**

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

If vomiting occurs have person lean forward.

Call a physician or poison control centre immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause drowsiness or dizziness.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **ACTIVATOR - 150 ML**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.07.2023

 10.2
 31.10.2023
 10780559-00015
 Date of first issue: 11.06.2010

Unsuitable extinguishing

media

High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Flash back possible over considerable distance. Vapours may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health. If the temperature rises there is danger of the vessels bursting

due to the high vapor pressure.

Hazardous combustion prod: :

ucts

Carbon oxides

#### 5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

#### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **ACTIVATOR - 150 ML**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.07.2023

 10.2
 31.10.2023
 10780559-00015
 Date of first issue: 11.06.2010

be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventila-

tion.

Advice on safe handling : Do not get on skin or clothing.

Avoid breathing spray.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Do not spray on an open flame or other ignition source.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Do not pierce or burn, even after use. Keep

cool. Protect from sunlight.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **ACTIVATOR - 150 ML**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.07.2023

 10.2
 31.10.2023
 10780559-00015
 Date of first issue: 11.06.2010

Advice on common storage : Do not store with the following product types:

Self-reactive substances and mixtures

Organic peroxides Oxidizing agents Flammable solids Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures, which in contact with water, emit

flammable gases

Explosives Gases

Storage class (TRGS 510) : 2B

7.3 Specific end use(s)

Specific use(s) : No data available

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Butane	106-97-8	AGW	1.000 ppm	DE TRGS
			2.400 mg/m3	900
	Peak-limit: excursion factor (category): 4;(II)			
Heptane	142-82-5	TWA	500 ppm	2000/39/EC
			2.085 mg/m3	
	Further information: Indicative			
		AGW	500 ppm	DE TRGS
			2.100 mg/m3	900
	Peak-limit: excursion factor (category): 1;(I)			
Propane	74-98-6	AGW	1.000 ppm	DE TRGS
			1.800 mg/m3	900
	Peak-limit: excursion factor (category): 4;(II)			

# **Biological occupational exposure limits**

Substance name	CAS-No.	Control parameters	Sampling time	Basis
Heptane	142-82-5	heptan-2,5-dione:	Immediately after	TRGS 903
		250 μg/l	exposure or after	
		(Urine)	working hours	

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Heptane	Workers	Inhalation	Long-term systemic	2085 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **ACTIVATOR - 150 ML**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.07.2023

 10.2
 31.10.2023
 10780559-00015
 Date of first issue: 11.06.2010

			effects	
	Workers	Skin contact	Long-term systemic effects	300 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	447 mg/m3
	Consumers	Skin contact	Long-term systemic effects	149 mg/kg bw/day
	Workers	Ingestion	Long-term systemic effects	149 mg/kg bw/day
N,N-dimethyl-p- toluidine	Workers	Inhalation	Long-term systemic effects	1,224 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,694 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,302 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0,347 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,174 mg/kg bw/day

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
N,N-dimethyl-p-toluidine	Fresh water	0,0137 mg/l
	Marine water	0,00137 mg/l
	Intermittent use/release	0,137 mg/l
	Sewage treatment plant	1,36 mg/l
	Fresh water sediment	48,24 mg/kg
	Marine sediment	48,24 mg/kg
	Oral (Secondary Poisoning)	20,36 mg/kg food

#### 8.2 Exposure controls

### **Engineering measures**

Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust ventilation.

If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.

### Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:

Safety glasses

Equipment should conform to DIN EN 166

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : > 1,8 mm

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **ACTIVATOR - 150 ML**

Version Revision Date: SDS Number: Date of last issue: 26.07.2023 10.2 31.10.2023 10780559-00015 Date of first issue: 11.06.2010

aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Wear the following personal protective equipment:

If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic

protective clothing.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Equipment should conform to DIN EN 137

Filter type : Self-contained breathing apparatus

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state : aerosol

Propellant : Propane, Butane

Colour : light yellow

Odour : hydrocarbon-like

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

Not applicable

Flammability (solid, gas) : Extremely flammable aerosol.

Upper explosion limit / Upper

flammability limit

No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **ACTIVATOR - 150 ML**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.07.2023

 10.2
 31.10.2023
 10780559-00015
 Date of first issue: 11.06.2010

Lower explosion limit / Lower

flammability limit

No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 7

Concentration: 10 %

Viscosity

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : partly miscible

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : Not applicable

Density : 0,7 g/cm³ (20 °C)

Relative vapour density : Not applicable

Particle characteristics

Particle size : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **ACTIVATOR - 150 ML**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.07.2023

 10.2
 31.10.2023
 10780559-00015
 Date of first issue: 11.06.2010

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Extremely flammable aerosol.

Vapours may form explosive mixture with air.

If the temperature rises there is danger of the vessels bursting

due to the high vapor pressure.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

#### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Inhalation

exposure Skin contact

Ingestion Eye contact

### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l

Exposure time: 4 h Test atmosphere: vapour Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **ACTIVATOR - 150 ML**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.07.2023

 10.2
 31.10.2023
 10780559-00015
 Date of first issue: 11.06.2010

**Components:** 

Heptane:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 73,5 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

N,N-dimethyl-p-toluidine:

Acute oral toxicity : Acute toxicity estimate (Rat): 100 mg/kg

Method: Expert judgement

Remarks: Based on harmonised classification in EU regulation

1272/2008, Annex VI

Acute inhalation toxicity : LC50 (Rat): 1,40 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : Acute toxicity estimate: 300 mg/kg

Method: Expert judgement

Remarks: Based on harmonised classification in EU regulation

1272/2008, Annex VI

Skin corrosion/irritation

Causes skin irritation.

**Components:** 

Heptane:

Species : Rabbit Result : Skin irritation

Remarks : Based on data from similar materials

N,N-dimethyl-p-toluidine:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **ACTIVATOR - 150 ML**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.07.2023

 10.2
 31.10.2023
 10780559-00015
 Date of first issue: 11.06.2010

#### **Components:**

Heptane:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

N,N-dimethyl-p-toluidine:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### **Components:**

# Heptane:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

#### N,N-dimethyl-p-toluidine:

Exposure routes : Skin contact
Species : Guinea pig
Result : negative

### Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

#### Heptane:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **ACTIVATOR - 150 ML**

Version Revision Date: SDS Number: Date of last issue: 26.07.2023 10.2 31.10.2023 10780559-00015 Date of first issue: 11.06.2010

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Remarks: Based on data from similar materials

N,N-dimethyl-p-toluidine:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Carcinogenicity

Not classified based on available information.

**Components:** 

Heptane:

Species : Rat

Application Route : inhalation (vapour)

Exposure time : 2 Years
Result : negative

Remarks : Based on data from similar materials

N,N-dimethyl-p-toluidine:

Species : Rat
Application Route : Ingestion
Exposure time : 104 -105 weeks

Result : positive

Species : Mouse
Application Route : Ingestion
Exposure time : 104 -105 weeks

Result : positive

Carcinogenicity - Assess-

ment

: Limited evidence of carcinogenicity in animal studies

Reproductive toxicity

Not classified based on available information.

**Components:** 

Heptane:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **ACTIVATOR - 150 ML**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.07.2023

 10.2
 31.10.2023
 10780559-00015
 Date of first issue: 11.06.2010

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Remarks: Based on data from similar materials

#### STOT - single exposure

May cause drowsiness or dizziness.

### **Components:**

Heptane:

Assessment : May cause drowsiness or dizziness.

### STOT - repeated exposure

Not classified based on available information.

#### **Components:**

#### N,N-dimethyl-p-toluidine:

Exposure routes : Ingestion

Target Organs : Reproductive organs

Assessment : Shown to produce significant health effects in animals at con-

centrations of >10 to 100 mg/kg bw.

# Repeated dose toxicity

#### **Components:**

#### Heptane:

Species : Rat NOAEL : 12,35 mg/l

Application Route : inhalation (vapour)

Exposure time : 90 Days

#### N,N-dimethyl-p-toluidine:

Species : Rat
LOAEL : 62,5 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

### **Aspiration toxicity**

May be fatal if swallowed and enters airways.

#### **Product:**

May be fatal if swallowed and enters airways.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **ACTIVATOR - 150 ML**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.07.2023

 10.2
 31.10.2023
 10780559-00015
 Date of first issue: 11.06.2010

#### **Components:**

### Heptane:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Components:

Heptane:

Toxicity to fish : LC50 (Gambusia affinis (Mosquito fish)): 4.924 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 0,2 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 : > 0,1 - 1 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

M-Factor (Acute aquatic tox-

icity)

: 1

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: > 0,1 - 1 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

toxicity)

: 1

N,N-dimethyl-p-toluidine:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 46 mg/l

Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 13,7 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **ACTIVATOR - 150 ML**

Version Revision Date: SDS Number: Date of last issue: 26.07.2023 10.2 31.10.2023 10780559-00015 Date of first issue: 11.06.2010

aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Chlorella pyrenoidosa (algae)): 22 mg/l

Exposure time: 72 h

Toxicity to microorganisms : EC50 (Photobacterium phosphoreum): 13,6 mg/l

Exposure time: 30 min

### 12.2 Persistence and degradability

#### **Components:**

Heptane:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 70 % Exposure time: 10 d

N,N-dimethyl-p-toluidine:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 1 % Exposure time: 28 d

### 12.3 Bioaccumulative potential

#### **Components:**

Heptane:

Partition coefficient: n-

octanol/water

log Pow: 4,5

N,N-dimethyl-p-toluidine:

Partition coefficient: n-

octanol/water

log Pow: 1,729

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

## **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

### 12.6 Endocrine disrupting properties

# **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **ACTIVATOR - 150 ML**

Version Revision Date: SDS Number: Date of last issue: 26.07.2023 10.2 31.10.2023 10780559-00015 Date of first issue: 11.06.2010

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product. Please ensure aerosol cans are sprayed completely empty

(including propellant)

Waste Code : The following Waste Codes are only suggestions:

used product

16 05 04, gases in pressure containers (including halons)

containing hazardous substances

unused product

16 05 04, gases in pressure containers (including halons)

containing hazardous substances

uncleaned packagings

15 01 10, packaging containing residues of or contaminated

by hazardous substances

Acc. Packaging Act properly emptied packaging:
Properly emptied, non-contaminated packaging of non-hazardous products can be supplied to a system for the col-

lection of sales packaging.

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **ACTIVATOR - 150 ML**

Version Revision Date: SDS Number: Date of last issue: 26.07.2023 10.2 31.10.2023 10780559-00015 Date of first issue: 11.06.2010

ADN : UN 1950
ADR : UN 1950
RID : UN 1950
IMDG : UN 1950
IATA : UN 1950

14.2 UN proper shipping name

ADN : AEROSOLS
ADR : AEROSOLS
RID : AEROSOLS
IMDG : AEROSOLS
(Heptane)

IATA : Aerosols, flammable

14.3 Transport hazard class(es)

Class Subsidiary risks
: 2 2.1

 ADN
 : 2
 2.1

 ADR
 : 2
 2.1

 RID
 : 2
 2.1

**IMDG** : 2.1 **IATA** : 2.1

14.4 Packing group

**ADN** 

Packing group : Not assigned by regulation

Classification Code : 5F Labels : 2.1

**ADR** 

Packing group : Not assigned by regulation

Classification Code : 5F Labels : 2.1 Tunnel restriction code : (D)

RID

Packing group : Not assigned by regulation

Classification Code : 5F Hazard Identification Number : 23 Labels : 2.1

**IMDG** 

Packing group : Not assigned by regulation

Labels : 2.1 EmS Code : F-D, S-U

IATA (Cargo)

Packing instruction (cargo : 203

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **ACTIVATOR - 150 ML**

Version Revision Date: SDS Number: Date of last issue: 26.07.2023 10.2 31.10.2023 10780559-00015 Date of first issue: 11.06.2010

203

aircraft)

Packing instruction (LQ) Y203

Packing group Not assigned by regulation

Flammable Gas Labels

IATA (Passenger)

Packing instruction (passen-

ger aircraft)

Packing instruction (LQ) Y203

Packing group Not assigned by regulation

Labels Flammable Gas

14.5 Environmental hazards

**ADN** 

Environmentally hazardous yes

Environmentally hazardous yes

Environmentally hazardous ves

**IMDG** 

Marine pollutant yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances. mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered: Number on list 75

If you intend to use this product as tattoo ink, please contact your ven-

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **ACTIVATOR - 150 ML**

Version **Revision Date:** SDS Number: Date of last issue: 26.07.2023 10.2 31.10.2023 10780559-00015 Date of first issue: 11.06.2010

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Quantity 2 Quantity 1 P3a FLAMMABLE AEROSOLS 150 t 500 t E1 **ENVIRONMENTAL** 100 t 200 t **HAZARDS** 18 Liquefied flammable gases 50 t 200 t

(including LPG) and natural

Water hazard class (Germa-

WGK 2 obviously hazardous to water

ny)

Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) 5.2.1: Total dust:

Not applicable

5.2.2: Inorganic substances in powdered form:

Not applicable

5.2.4: Inorganic substances in gaseous form:

Not applicable

5.2.5: Organic Substances:

Not applicable

5.2.7.1.1: Carcinogenic substance:

Not applicable

5.2.7.1.1: Quartz fine dust PM4:

Not applicable

5.2.7.1.1: Formaldehyde:

Not applicable 5.2.7.1.1: fibres: Not applicable

5.2.7.1.2: Germ cell mutagens:

Not applicable

5.2.7.1.3: Substances toxic to reproduction:

Not applicable

5.2.7.2: Poorly degradable, easily enrichable and highly toxic

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **ACTIVATOR - 150 ML**

Version Revision Date: SDS Number: Date of last issue: 26.07.2023 10.2 31.10.2023 10780559-00015 Date of first issue: 11.06.2010

organic substances: Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 100 %

#### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

#### **Full text of H-Statements**

H225 : Highly flammable liquid and vapour.

H301 : Toxic if swallowed.

H304 : May be fatal if swallowed and enters airways.

H311 : Toxic in contact with skin.
H315 : Causes skin irritation.
H330 : Fatal if inhaled.

H336 : May cause drowsiness or dizziness. H351 : Suspected of causing cancer.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H412 : Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Asp. Tox. : Aspiration hazard Carc. : Carcinogenicity Flam. Liq. : Flammable liquids Skin Irrit. : Skin irritation

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first

list of indicative occupational exposure limit values

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

TRGS 903 : TRGS 903 - Biological limit values

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **ACTIVATOR - 150 ML**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.07.2023

 10.2
 31.10.2023
 10780559-00015
 Date of first issue: 11.06.2010

2000/39/EC / TWA : Limit Value - eight hours DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### **Further information**

Sheet

Sources of key data used to compile the Safety Data

eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

#### Classification of the mixture: Classification procedure:

Aerosol 1	H222, H229	Based on product data or assessment
Skin Irrit. 2	H315	Calculation method
STOT SE 3	H336	Calculation method
Asp. Tox. 1	H304	Based on product data or assessment
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

Internal technical data, data from raw material SDSs, OECD

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **ACTIVATOR - 150 ML**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.07.2023

 10.2
 31.10.2023
 10780559-00015
 Date of first issue: 11.06.2010

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

DE / EN