according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TRIATHLON POWER 5W40 - 5 L

Product code : 0897605402

Unique Formula Identifier

(UFI)

: JT1G-10HF-G00P-CJR1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Engine oil

stance/Mixture Professional use product

Recommended restrictions

on use

: Not applicable

1.3 Details of the supplier of the safety data sheet

Company : Adolf Wuerth GmbH & Co. KG

Reinhold-Würth-Str. 12-17

74653 Künzelsau

Telephone : +49 794015 0

Telefax : +49 794015 10 00

E-mail address of person

responsible for the SDS

isi@wuerth.com

### 1.4 Emergency telephone number

+49 (0)6132 - 84463

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

Hazard pictograms

Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.

Response:

P337 + P313 If eye irritation persists: Get medical advice/

attention.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Distillates (petroleum), hy-	64742-54-7	Asp. Tox. 1; H304	>= 30 - < 50
drotreated heavy paraffinic	265-157-1		
	649-467-00-8		
	01-2119484627-25		
Lubricating oils (petroleum), C20-	72623-87-1	Asp. Tox. 1; H304	>= 1 - < 10
50, hydrotreated neutral oil based	276-738-4		
	649-483-00-5		
	01-2119474889-13		
Hydrotreated Neutral Oil, C15-	72623-86-0	Asp. Tox. 1; H304	>= 1 - < 10
C30	276-737-9		
	649-482-00-X		
	01-2119474878-16		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.11.2023

 5.0
 16.04.2024
 10781877-00011
 Date of first issue: 27.04.2016

Distillates (petroleum), solvent dewaxed light paraffinic; baseoil - unspecified	64742-56-9 265-159-2 649-469-00-9 01-2119480132-48	Asp. Tox. 1; H304	>= 1 - < 10
Distillates (petroleum), solvent- dewaxed heavy paraffinic	64742-65-0 265-169-7 649-474-00-6 01-2119471299-27	Asp. Tox. 1; H304	>= 1 - < 10
Zinc O,O,O',O'-tetrakis(1,3- dimethylbutyl) bis(phosphorodithioate)	2215-35-2 218-679-9 01-2119953275-34	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 2; H411	>= 1 - < 2,5
Paraffin oils (petroleum), catalytic dewaxed heavy	64742-70-7 265-174-4 649-477-00-2 01-2119487080-42	Asp. Tox. 1; H304	>= 1 - < 10

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides Sulphur oxides

Oxides of phosphorus

Metal oxides

### 5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.

Avoid inhalation of vapour or mist.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep in properly labelled containers. Store in accordance with

the particular national regulations.

Advice on common storage : Do not store with the following product types:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.11.2023

 5.0
 16.04.2024
 10781877-00011
 Date of first issue: 27.04.2016

Strong oxidizing agents

Gases

Storage class (TRGS 510) : 10

7.3 Specific end use(s)

Specific use(s) : No data available

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
Distillates (petrole- um), hydrotreated heavy paraffinic	64742-54-7	AGW (Vapour and aerosols)	5 mg/m3	DE TRGS 900	
	Peak-limit: ex	Peak-limit: excursion factor (category): 4;(II)			
	Further information: When there is compliance with the OEL and biological				
	tolerance values, there is no risk of harming the unborn child				
Distillates (petrole- um), hydrotreated heavy paraffinic	64742-54-7	AGW (Vapour and aerosols)	5 mg/m3	DE TRGS 900	
	Peak-limit: excursion factor (category): 4;(II)				
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
Lubricating oils (petroleum), C20- 50, hydrotreated neutral oil based	72623-87-1	AGW (Vapour and aerosols)	5 mg/m3	DE TRGS 900	
	Peak-limit: excursion factor (category): 4;(II)				
	Further information: When there is compliance with the OEL and biological				
	tolerance values, there is no risk of harming the unborn child				
Distillates (petrole- um), solvent dewaxed light par- affinic; baseoil - unspecified	64742-56-9	AGW (Vapour and aerosols)	5 mg/m3	DE TRGS 900	
	Peak-limit: excursion factor (category): 4;(II)				
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
Distillates (petrole- um), solvent- dewaxed heavy paraffinic	64742-65-0	AGW (Vapour and aerosols)	5 mg/m3	DE TRGS 900	
	Peak-limit: ex	cursion factor (categ	ory): 4;(II)		
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
				<del></del>	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.11.2023

 5.0
 16.04.2024
 10781877-00011
 Date of first issue: 27.04.2016

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Zinc O,O,O',O'- tetrakis(1,3- dimethylbutyl) bis(phosphorodithioat e)	Workers	Inhalation	Long-term systemic effects	8,6 mg/m3
	Workers	Skin contact	Long-term systemic effects	12,2 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2,13 mg/m3
	Consumers	Skin contact	Long-term systemic effects	6,1 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,24 mg/kg bw/day
Paraffin oils (petrole- um), catalytic dewaxed heavy	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Inhalation	Long-term local ef- fects	5,58 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg bw/day
	Consumers	Inhalation	Long-term local ef- fects	1,19 mg/m3
	Consumers	Ingestion	Long-term systemic effects	0,74 mg/kg bw/day

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Environmental Compartment	Value
Oral (Secondary Poisoning)	9,33 mg/kg food
Oral (Secondary Poisoning)	9,33 mg/kg food
Oral (Secondary Poisoning)	9,33 mg/kg food
Oral (Secondary Poisoning)	9,33 mg/kg food
Fresh water	0,004 mg/l
Marine water	0,0046 mg/l
Intermittent use/release	0,045 mg/l
Sewage treatment plant	100 mg/l
Fresh water sediment	0,06 mg/kg
Marine sediment	0,006 mg/kg
Soil	0,01 mg/kg
Oral (Secondary Poisoning)	10,67 mg/kg food
Oral (Secondary Poisoning)	9,33 mg/kg food
	Oral (Secondary Poisoning)  Oral (Secondary Poisoning)  Oral (Secondary Poisoning)  Oral (Secondary Poisoning)  Fresh water  Marine water Intermittent use/release Sewage treatment plant Fresh water sediment Marine sediment Soil Oral (Secondary Poisoning)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

### 8.2 Exposure controls

### **Engineering measures**

Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

### Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:

Safety goggles

Equipment should conform to DIN EN 166

Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : 0,4 mm

Directive : Equipment should conform to DIN EN 374

Wearing time : <= 240 min

Material : PVC
Break through time : > 480 min
Glove thickness : 0,4 mm

Directive : Equipment should conform to DIN EN 374

Wearing time : <= 240 min

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Equipment should conform to DIN EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : brown

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

Odour : characteristic

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Ignitable (see flash point)

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : 230 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : substance/mixture is non-soluble (in water)

Viscosity

Viscosity, kinematic : 82 mm2/s (40 °C)

13,5 mm2/s (100 °C)

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

Vapour pressure : No data available

Density : 0,855 g/cm³ (20 °C)

Relative vapour density : No data available

Particle characteristics

Particle size : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

## 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

## **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

Information on likely routes of:

exposure

Inhalation
Skin contact
Ingestion
Eye contact

#### **Acute toxicity**

Not classified based on available information.

### **Components:**

## Distillates (petroleum), hydrotreated heavy paraffinic:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Method: OECD Test Guideline 402

### Hydrotreated Neutral Oil, C15-C30:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

Distillates (petroleum), solvent dewaxed light paraffinic; baseoil - unspecified:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Method: OECD Test Guideline 402

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate):

Acute oral toxicity : LD50 (Rat): 2.230 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 25.000 mg/kg

Paraffin oils (petroleum), catalytic dewaxed heavy:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: OECD Test Guideline 403

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

#### Skin corrosion/irritation

Not classified based on available information.

### **Components:**

### Distillates (petroleum), hydrotreated heavy paraffinic:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based:

Species : Rabbit

Result : No skin irritation

## **Hydrotreated Neutral Oil, C15-C30:**

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

### Distillates (petroleum), solvent dewaxed light paraffinic; baseoil - unspecified:

Species : Rabbit

Result : No skin irritation

### Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

### Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate):

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

### Paraffin oils (petroleum), catalytic dewaxed heavy:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

### Serious eye damage/eye irritation

Causes serious eye irritation.

### **Components:**

### Distillates (petroleum), hydrotreated heavy paraffinic:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Remarks : Based on data from similar materials

### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based:

Species : Rabbit

Result : No eye irritation

### **Hydrotreated Neutral Oil, C15-C30:**

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

### Distillates (petroleum), solvent dewaxed light paraffinic; baseoil - unspecified:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

## Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Remarks : Based on data from similar materials

## Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate):

Species : Rabbit

Result : Irreversible effects on the eye

### Paraffin oils (petroleum), catalytic dewaxed heavy:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Remarks : Based on data from similar materials

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

### Respiratory sensitisation

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

### **Components:**

### Distillates (petroleum), hydrotreated heavy paraffinic:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

## Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based:

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

### **Hydrotreated Neutral Oil, C15-C30:**

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

## Distillates (petroleum), solvent dewaxed light paraffinic; baseoil - unspecified:

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

### Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

### Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate):

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

### Paraffin oils (petroleum), catalytic dewaxed heavy:

Test Type : Buehler Test

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

### **Components:**

## Distillates (petroleum), hydrotreated heavy paraffinic:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse Result: negative

Remarks: Based on data from similar materials

### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection Method: OECD Test Guideline 474

Result: negative

### **Hydrotreated Neutral Oil, C15-C30:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

### Distillates (petroleum), solvent dewaxed light paraffinic; baseoil - unspecified:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Paraffin oils (petroleum), catalytic dewaxed heavy:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

### Carcinogenicity

Not classified based on available information.

#### Components:

## Distillates (petroleum), hydrotreated heavy paraffinic:

Carcinogenicity - Assess- : Classified based on DMSO extract content < 3% (Regulation

ment (EC) 1272/2008, Annex VI, Part 3, Note L)

### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based:

Species : Mouse
Application Route : Skin contact
Exposure time : 78 weeks
Result : negative

Carcinogenicity - Assess- : Classified based on DMSO extract content < 3% (Regulation

ment (EC) 1272/2008, Annex VI, Part 3, Note L)

### **Hydrotreated Neutral Oil, C15-C30:**

Species : Mouse
Application Route : Skin contact
Exposure time : 78 weeks
Result : negative

Remarks : Based on data from similar materials

Carcinogenicity - Assess- : Classified based on DMSO extract content < 3% (Regulation

ment (EC) 1272/2008, Annex VI, Part 3, Note L)

### Distillates (petroleum), solvent dewaxed light paraffinic; baseoil - unspecified:

Species : Mouse
Application Route : Skin contact
Exposure time : 78 weeks

Method : OECD Test Guideline 451

Result : negative

Remarks : Based on data from similar materials

Carcinogenicity - Assess- : Classified based on DMSO extract content < 3% (Regulation

ment (EC) 1272/2008, Annex VI, Part 3, Note L)

### Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Species : Mouse
Application Route : Skin contact
Exposure time : 78 weeks

Method : OECD Test Guideline 451

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

Result : negative

Carcinogenicity - Assess-

ment

Classified based on DMSO extract content < 3% (Regulation

(EC) 1272/2008, Annex VI, Part 3, Note L)

Paraffin oils (petroleum), catalytic dewaxed heavy:

Species : Mouse
Application Route : Skin contact
Exposure time : 78 weeks
Result : negative

Remarks : Based on data from similar materials

Carcinogenicity - Assess-

ment

Classified based on DMSO extract content < 3% (Regulation

(EC) 1272/2008, Annex VI, Part 3, Note L)

Reproductive toxicity

Not classified based on available information.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 421

Result: negative

Remarks: Based on data from similar materials

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

**Application Route: Ingestion** 

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Skin contact Method: OECD Test Guideline 414

Result: negative

Remarks: Based on data from similar materials

Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate):

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

### Paraffin oils (petroleum), catalytic dewaxed heavy:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 421

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Skin contact

Result: negative

Remarks: Based on data from similar materials

Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 421

Result: negative

Remarks: Based on data from similar materials

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

#### **Components:**

### Paraffin oils (petroleum), catalytic dewaxed heavy:

Assessment : No significant health effects observed in animals at concentra-

tions of 200 mg/kg bw or less.

Assessment : No significant health effects observed in animals at concentra-

tions of 0.2 mg/l/6h/d or less.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

### Repeated dose toxicity

### **Components:**

## Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based:

Species : Rat

NOAEL : > 980 mg/m3

Application Route : inhalation (dust/mist/fume)

Exposure time : 4 Weeks

## Hydrotreated Neutral Oil, C15-C30:

Species : Rat, male
LOAEL : 125 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

Remarks : Based on data from similar materials

## Distillates (petroleum), solvent dewaxed light paraffinic; baseoil - unspecified:

Species : Rat

NOAEL : 1.000 mg/kg
Application Route : Skin contact
Exposure time : 4 Weeks

Method : OECD Test Guideline 410

Remarks : Based on data from similar materials

Species : Rat

NOAEL : > 980 mg/m3

Application Route : inhalation (dust/mist/fume)

Exposure time : 4 Weeks

Remarks : Based on data from similar materials

### Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Species : Rabbit

NOAEL : 1.000 mg/kg

Application Route : Skin contact

Exposure time : 4 Weeks

Method : OECD Test Guideline 410

Remarks : Based on data from similar materials

Species : Rat

NOAEL : > 980 mg/m3

Application Route : inhalation (dust/mist/fume)

Exposure time : 4 Weeks

Remarks : Based on data from similar materials

## Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate):

Species : Rat

NOAEL : 160 mg/kg

Application Route : Ingestion

Exposure time : 40 - 52 Days

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

Method : OECD Test Guideline 422

Remarks : Based on data from similar materials

### Paraffin oils (petroleum), catalytic dewaxed heavy:

Species : Rat

NOAEL : > 0,6 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Remarks : Based on data from similar materials

Species : Rabbit

NOAEL : > 600 mg/kg

Application Route : Skin contact

Exposure time : 28 Days

Remarks : Based on data from similar materials

### **Aspiration toxicity**

Not classified based on available information.

### **Components:**

## Distillates (petroleum), hydrotreated heavy paraffinic:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based:

May be fatal if swallowed and enters airways.

### Hydrotreated Neutral Oil, C15-C30:

May be fatal if swallowed and enters airways.

### Distillates (petroleum), solvent dewaxed light paraffinic; baseoil - unspecified:

May be fatal if swallowed and enters airways.

### Distillates (petroleum), solvent-dewaxed heavy paraffinic:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

## Paraffin oils (petroleum), catalytic dewaxed heavy:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### 11.2 Information on other hazards

### **Endocrine disrupting properties**

### **Product:**

Assessment : The substance/mixture does not contain components consid-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

### **SECTION 12: Ecological information**

## 12.1 Toxicity

### **Components:**

## Distillates (petroleum), hydrotreated heavy paraffinic:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOELR (Pseudokirchneriella subcapitata (green algae)): >

100 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : NOEC : > 1,93 mg/l

Exposure time: 10 min Method: DIN 38 412 Part 8

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOELR: > 1 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

## Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 10.000 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Toxicity to algae/aquatic

plants

NOELR (Pseudokirchneriella subcapitata (green algae)): >

100 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC (Photobacterium phosphoreum): > 1,93 mg/l

Exposure time: 4 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOELR: 10 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test substance: Water Accommodated Fraction

### **Hydrotreated Neutral Oil, C15-C30:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10.000 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 100

ma/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 10 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Remarks: Based on data from similar materials

## Distillates (petroleum), solvent dewaxed light paraffinic; baseoil - unspecified:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 16.04.2024 10781877-00011 Date of first issue: 27.04.2016 5.0

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l

aquatic invertebrates Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

plants mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms NOEC : > 1.93 mg/l

> Exposure time: 10 min Method: DIN 38 412 Part 8

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 10 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

### Distillates (petroleum), solvent-dewaxed heavy paraffinic:

LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Toxicity to fish

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10.000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms NOEC : > 1.93 mg/l

Exposure time: 10 min Method: DIN 38 412 Part 8

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

Exposure time: 21 d

NOEC: 10 mg/l

ic toxicity)

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate):

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 4,5 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 23 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EL50 (Desmodesmus subspicatus (green algae)): 21 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): 10 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 : > 10.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,4 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

## Paraffin oils (petroleum), catalytic dewaxed heavy:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

NOEL (Pseudokirchneriella subcapitata (green algae)): >=

100 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

Toxicity to daphnia and other : NOELR: > 1 mg/l aquatic invertebrates (Chron- Exposure time: 21 d

ic toxicity) Species: Daphnia magna (Water flea)

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

### 12.2 Persistence and degradability

### **Components:**

### Distillates (petroleum), hydrotreated heavy paraffinic:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 31 % Exposure time: 28 d

Method: OECD Test Guideline 301F

### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 4 % Exposure time: 28 d

Method: OECD Test Guideline 301B

### **Hydrotreated Neutral Oil, C15-C30:**

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 2 - 4 % Exposure time: 28 d

Method: OECD Test Guideline 301B

## Distillates (petroleum), solvent dewaxed light paraffinic; baseoil - unspecified:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 2 - 4 % Exposure time: 28 d

Method: OECD Test Guideline 301B

## Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 2 - 8 % Exposure time: 28 d

Method: OECD Test Guideline 301B

### Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate):

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 1,5 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

### Paraffin oils (petroleum), catalytic dewaxed heavy:

Biodegradability : Result: Not readily biodegradable.

Method: OECD Test Guideline 301B

Remarks: Based on data from similar materials

## 12.3 Bioaccumulative potential

### Components:

### Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate):

Partition coefficient: n- : log Pow: 2,21

octanol/water

## 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

### 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

Waste Code : The following Waste Codes are only suggestions:

used product

13 02 05, mineral-based non-chlorinated engine, gear and

lubricating oils

unused product

13 02 05, mineral-based non-chlorinated engine, gear and

lubricating oils

uncleaned packagings

15 01 10, packaging containing residues of or contaminated

by hazardous substances

### **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

### 14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

## 14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 16.04.2024 10781877-00011 Date of first issue: 27.04.2016 5.0

IATA (Cargo) Not regulated as a dangerous good IATA (Passenger) Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered: Number on list 75, 3

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

If you intend to use this product as tattoo ink, please contact your ven-

dor.

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Water hazard class (Germa-

ny)

WGK 1 slightly hazardous to water

Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : 5.2.1: Total dust:

Not applicable

5.2.2: Inorganic substances in powdered form:

Not applicable

5.2.4: Inorganic substances in gaseous form:

Not applicable

5.2.5: Organic Substances:

Not applicable

5.2.7.1.1: Carcinogenic substance:

Not applicable

5.2.7.1.1: Quartz fine dust PM4:

Not applicable

5.2.7.1.1: Formaldehyde:

Not applicable 5.2.7.1.1: fibres: Not applicable

5.2.7.1.2: Germ cell mutagens:

Not applicable

5.2.7.1.3: Substances toxic to reproduction:

Not applicable

5.2.7.2: Poorly degradable, easily enrichable and highly toxic

organic substances: Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0 %

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

**Full text of H-Statements** 

H304 : May be fatal if swallowed and enters airways.

H315 : Causes skin irritation.

H318 : Causes serious eye damage.

H411 : Toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

Version Revision Date: SDS Number: Date of last issue: 23.11.2023 5.0 16.04.2024 10781877-00011 Date of first issue: 27.04.2016

#### Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard

Asp. Tox. : Aspiration hazard
Eye Dam. : Serious eye damage
Skin Irrit. : Skin irritation

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Sheet cy, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

Eye Irrit. 2 H319 Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TRIATHLON POWER 5W40 - 5 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.11.2023

 5.0
 16.04.2024
 10781877-00011
 Date of first issue: 27.04.2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

DE / EN