

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## COX591103 SCHMIER- UND HAFTÖL

Print date: 05.10.2015

Page 1 of 10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

SCHMIER- UND HAFTÖL COX591103

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Lubricant

##### Uses advised against

none

#### 1.3. Details of the supplier of the safety data sheet

Company name: Gessert &amp; Sohn

Street: Siemensstr. 17

Place: D-40721 Hilden

Telephone: +49(0)2103-51681

Telefax: +49(0)2103-51682

Responsible Department:

#### 1.4. Emergency telephone number:

Abt. Produktsicherheit: info@hanseline.de

Giftinformationszentrum-Nord (Göttingen) Telefon +49 -551-19240

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No. 1272/2008

This substance is not classified as hazardous according to Regulation (EC) No. 1272/2008.

#### 2.2. Label elements

##### Regulation (EC) No. 1272/2008

##### Additional advice on labelling

none

#### 2.3. Other hazards

Do not allow uncontrolled discharge of product into the environment.

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

For this product a Safety Data Sheet under REACH Regulation 1907/2006 Article 31 is not required.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

##### Chemical characterization

Formulation of raffinate from mineral oil, synthetic hydrocarbons, additive compound, graphite

##### Further Information

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

##### After inhalation

In case of symptoms arising from inhalation of product fumes, mists or vapour: Remove casualty to a quiet and well ventilated place if safe to do so.

Obtain medical assistance if breathing remains difficult.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## COX591103 SCHMIER- UND HAFTÖL

Print date: 05.10.2015

Page 2 of 10

**After contact with skin**

Wash affected area with soap and water.

**After contact with eyes**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.

Obtain medical assistance in case of persistent discomfort.

**After ingestion**

Do not give anything by mouth to an unconscious person.

If vomiting occurs, the head should be kept low so that the vomit does not enter the lungs (aspiration). Once vomiting ceases, place the person in the recovery position with the legs slightly raised.

Always assume that aspiration has occurred. Seek professional medical attention or send the casualty to a hospital. Do not wait for symptoms to develop.

Symptoms: few or no symptoms expected. If any, nausea and diarrhoea might occur.

Do NOT induce vomiting.

**4.2. Most important symptoms and effects, both acute and delayed**

Individuals with pre-existing lung disorders may have increased susceptibility of the effects of exposure .

Observe risk of aspiration if vomiting occurs. IF SWALLOWED: Aspiration hazard.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treatment should be in general symptomatic to relieve any effects.

### SECTION 5: Firefighting measures

**5.1. Extinguishing media****Suitable extinguishing media**

Dry chemical powder. Carbon dioxide. Other inert gases (subject to regulations). Sand or earth.

**Unsuitable extinguishing media**

Do not use direct water jets on the burning product; they could cause splattering and spread the fire.

**5.2. Special hazards arising from the substance or mixture**

Incomplete combustion is likely to give rise to a complex mixture of airborne solid and liquid particulates, gases, including carbon monoxide, unidentified organic and inorganic compounds.

**5.3. Advice for firefighters**

Special protective equipment for firefighters:

In case of a large fire or in confined or poorly ventilated spaces, wear full fire resistant protective clothing and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### SECTION 6: Accidental release measures

**6.1. Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel:

Work helmet. Antistatic non-skid safety shoes or boots.

Small spillages: Normal antistatic working clothes are usually adequate. Large spillages: full body suit of chemically resistant and antistatic material.

Work gloves providing adequate chemical resistance, specifically to aromatic hydrocarbons. Gloves made of PVA are not water-resistant, and are not suitable for emergency use.

Goggles and /or face shield, if splashes or contact with eyes is possible or anticipated.

If the situation cannot be completely assessed, or if an oxygen deficiency is possible, only SCBA's should be used.

Respiratory protection will be necessary only in special cases (e.g. formation of mists).

Respiratory protection: A half or full-face respirator with combined dust/organic vapour filter(s), or a Self-Contained Breathing Apparatus (SCBA) can be used according to the extent of spill and predictable amount of exposure.

**6.2. Environmental precautions**

Prevent product from entering sewers, rivers or other bodies of water. If necessary dike the product with dry earth, sand or similar non-combustible materials.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## COX591103 SCHMIER- UND HAFTÖL

Print date: 05.10.2015

Page 3 of 10

### 6.3. Methods and material for containment and cleaning up

Stop or contain leak at the source, if this possible without risk. Avoid direct contact with released material. Stay upwind.

Large spillages may be cautiously covered with foam, if available, to limit fire risk. Do not use direct jets. Collect free product with suitable means. Transfer collected product and other contaminated materials to suitable containers for recovery or safe disposal.

In case of soil contamination, remove contaminated soil and treat in accordance with local regulations.

When inside buildings or confined spaces, ensure adequate ventilation.

Keep non-involved personnel away from the area of spillage. Alert emergency personnel.

Except in case of small spillages: The feasibility of any actions should always be assessed and advised, if possible, by a trained, competent person in charge of managing the emergency.

Absorb spilled product with suitable non-combustible materials.

In case of small spillages in closed waters (i.e. ports), contain product with floating barriers or other equipment.

Collect spilled product by absorbing with specific floating absorbents.

If possible, large spillages in open waters should be contained with floating barriers or other mechanical means.

If this not possible, control the spreading of the spillage, and collect the product by skimming or other suitable mechanical means.

The use of dispersants should be advised by an expert, and, if required, approved by local authorities.

Collect recovered product and other materials in suitable tanks or containers for recovery or safe disposal.

Eliminate all ignition sources if safe to do so (e.g. electricity, sparks, fires, flares).

If required, notify relevant authorities according to all applicable regulations.

Additional information:

Recommended measures are based on the most likely spillage scenarios for this material.

Local conditions (wind, air temperature, wave/current direction and speed) may significantly influence the choice of appropriate actions.

For this reason, local experts should be consulted when necessary. Local regulations may also prescribe or limit actions to be taken.

### 6.4. Reference to other sections

No information available.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### **Advice on safe handling**

No special measures necessarily.

#### **Advice on protection against fire and explosion**

Keep away from sources of ignition. - No smoking.

### 7.2. Conditions for safe storage, including any incompatibilities

#### **Requirements for storage rooms and vessels**

No special requirements

#### **Advice on storage compatibility**

none

#### **Further information on storage conditions**

none

Fire class: B

### 7.3. Specific end use(s)

Relevant identified uses; Recommendation:

Ensure that proper housekeeping measures are in place. Do not eat, drink or smoke when using this product.

Contaminated materials should not be allowed to accumulate in the workplaces and should never be kept inside the pockets. Keep away from food and beverages. Wash the hands thoroughly after handling. Change

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## COX591103 SCHMIER- UND HAFTÖL

Print date: 05.10.2015

Page 4 of 10

contaminated clothes at the end of working shift.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Additional advice on limit values

DNEL worker:  
 DNEL long-term inhalative (systemic): 160 mg/m<sup>3</sup>  
 DNEL long-term dermal (systemic): 220 mg/kg KG/d

air limit values:  
 Possibility of exposure to Aerosol  
 Limit value TWA: 5 mg/m<sup>3</sup>, 8h- Source: ACGIH

#### 8.2. Exposure controls

##### Appropriate engineering controls

Do not enter empty storage tanks until measurements of available oxygen have been carried out. Storage and handling temperatures should be kept as low as feasible to minimize fume production.

##### Protective and hygiene measures

When using do not eat, drink, smoke, sniff. Keep away from food and beverages. Use of personal protective equipment must be consistent with good occupational hygiene practices.

##### Eye/face protection

If splashing is likely, full head and face protection (protective shield and/or safety goggles) should be used.

##### Hand protection

Heat resistant gloves with long cuffs, or gauntlets.  
 Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

##### Skin protection

Wear protective clothing for operations with hot material: heat resistant coveralls (with trousers legs over boots and sleeves over cuffs of gloves), heat resistant heavy duty antiskid boots (e. g. leather).  
 Coveralls should be changed at the end of the work shift and cleaned as necessary to avoid transfer of product to clothes or underwear.  
 For loading/unloading operations: wear safety helmet, if necessary integrated full face visor. In case of hot/molten product: with integrated full face visor.

##### Respiratory protection

Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK. If necessary, approved respiratory protection equipment shall be used when handling hot product in confined spaces: enclosed face mask with cartridge/filter type "A" or self-contained breathing apparatus (SCBA). If exposure levels cannot be determined or estimated with adequate confidence, or an oxygen deficiency is possible, only SCBA's should be used.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	darkbrown to black
Odour:	characteristic

##### Test method

pH-Value:	not determined
-----------	----------------

##### Changes in the physical state

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### COX591103 SCHMIER- UND HAFTÖL

Print date: 05.10.2015

Page 5 of 10

Melting point:	No information available.
Initial boiling point and boiling range: Sublimation point:	No information available.
Softening point:	No information available.
Pour point:	< -21° C DIN/ISO 3016.
Flash point:	>180°C DIN/ISO 2592.
Sustaining combustion:	No data available.

#### Flammability

Solid:	not applicable.
Gas:	not applicable.

#### Explosive properties

The product is not: Explosive.

Lower explosion limits:	No information available.
Upper explosion limits:	No information available.
Ignition temperature:	No information available.

#### Auto-ignition temperature

Solid:	No information available.
Gas:	No information available.
Decomposition temperature:	<350 °C

#### Oxidizing properties

No information available

Vapour pressure: (at 20 °C)	<0,1 hPa calculated.
Vapour pressure	No information available.
Density (at 15 °C):	0,89 g/cm <sup>3</sup> DIN 51757
Bulk density:	not relevant
Water solubility:	practically insoluble

#### Solubility in other solvents

not determined

Partition coefficient:	> 4 Log KOC
Viscosity / dynamic:	No information available
Viscosity / kinematic: (at 40 °C)	85mm <sup>2</sup> /s DIN EN ISO 51562
Flow time:	No information available
Vapour density:	No information available
Evaporation rate	No information available
Solvent separation test:	No information available
Solvent content:	No information available

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**COX591103 SCHMIER- UND HAFTÖL**

Print date: 05.10.2015

Page 6 of 10

**9.2. Other information**

Solid\_content: No information available

No information available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No information available.

**10.2. Chemical stability**

No information available.

**10.3. Possibility of hazardous reactions**

No information available.

**10.4. Conditions to avoid**

Excessive heating above the maximum recommended handling and storage temperature may cause degradation of the substance and evolution of irritant vapours and fumes.

**10.5. Incompatible materials**

Materials to avoid:

Contact with strong oxidizers (peroxides, chromates, etc.) may cause a fire hazard.

A mixture with nitrates or other strong oxidisers (e.g. chlorates, perchlorates, liquid oxygen) may create an explosive mass. Sensitivity to heat, friction or shock cannot be assessed in advance.

**10.6. Hazardous decomposition products**

Combustion (incomplete) will likely generate oxides of carbon, sulphur and nitrogen, as well as additional undetermined organic compounds of the same elements. None under normal conditions at ambient temperatures.

**Further information**

Decomposition takes place from temperatures above: &gt; 350 °C

This substance is stable under all ordinary circumstances at ambient temperatures, and if released into the environment.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute toxicity**

Acute oral toxicity (LD50) &gt; 5000 mg/kg Rat

Acute dermal toxicity (LD50) &gt; 2000 mg/kg Rabbit

Acute inhalation toxicity (dust/mist) (LC50) > 5 mg/l (4 h) Rat  
(ECHA Dossier)**Irritation and corrosivity**

Skin corrosion/irritation: Not an irritant. (Rabbit)

Eye damage/irritation: Not an irritant. (Rabbit)

**Sensitising effects**

No information available.

**STOT-single exposure**

No information available.

**Severe effects after repeated or prolonged exposure**

Subacute dermal toxicity:

Method: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)

Exposure time: 28d

Species: Rabbit

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## COX591103 SCHMIER- UND HAFTÖL

Print date: 05.10.2015

Page 7 of 10

Results: 1000 mg/kg

literature information: ECHA Dossier

### **Carcinogenic/mutagenic/toxic effects for reproduction**

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction): none

literature information: ECHA Dossier

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### **Specific effects in experiment on an animal**

No information available.

### **Additional information on tests**

Substance related information: dangerous health properties, Special hazards arising from the substance or mixture, Classification according to Regulation (EC) No. 1272/2008 [CLP]

### **Practical experience**

#### **Observations relevant to classification**

No information available.

## SECTION 12: Ecological information

### **12.1. Toxicity**

Acute (short-term) fish toxicity (LC50) > 1000 mg/l (96 h) *Leuciscus idus* (golden orfe)Acute (short-term) toxicity to crustacea (LL50) > 100 mg/l (48 h) *Daphnia magna*Acute (short-term) toxicity to aquatic algae and cyanobacteria (NOEL) > 100 mg/l (3 d) *Pseudokirchneriella subcapitata*Chronic (long-term) fish toxicity (NOEL) > 1000 mg/l (28 d) QSAR  
(ECHA Dossier)

### **12.2. Persistence and degradability**

Not readily biodegradable (according to OECD criteria)

### **12.3. Bioaccumulative potential**

The product has not been tested.

### **12.4. Mobility in soil**

No information available.

### **12.5. Results of PBT and vPvB assessment**

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

### **12.6. Other adverse effects**

General information:

Do not allow uncontrolled discharge of product into the environment.

## SECTION 13: Disposal considerations

### **13.1. Waste treatment methods**

#### **Advice on disposal**

Surplus (unused) or off-spec substance can be recovered or re-conditioned (according to specific characteristics and composition), or can be disposed of as waste.

Disposal can be carried out directly, or by delivery to qualified waste handlers. Contain and dispose of waste according to local regulations.

This substance can be burned or incinerated, subject to national/local authorizations, relevant contamination limits, safety regulations and air quality legislation.

These codes can be given only as a suggestion, according to the original composition of the product, and its intended (foreseeable) use(s).

The final user has the responsibility for the attribution of the most suitable code, according to the actual use(s) of the material, contaminations or alterations.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## COX591103 SCHMIER- UND HAFTÖL

Print date: 05.10.2015

Page 8 of 10

**Waste disposal number of contaminated packaging** 150106

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); mixed packaging

### Contaminated packaging

Disposal of emptied containers: Contact the original supplier or deliver to a qualified disposal organization. Do not cut, weld, bore, burn or incinerate emptied containers, unless they have been cleaned and declared safe. Empty containers may contain combustible product residues. Do not re-use emptied, unclean containers for other purposes.

General information:

In the absence of relevant alterations to the material or presence of contaminants, disposal of this substance as surplus (unused) or off-spec material, or waste resulting from the foreseeable use(s), does not present a specific hazard, or require special handling measures other than those indicated in Sect 7.

## SECTION 14: Transport information

### Land transport (ADR/RID)

<u>14.1.</u>	<b>UN number:</b>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>		No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>		No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>		No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

### Marine transport (IMDG)

<u>14.1.</u>	<b>UN number:</b>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>		No dangerous good in sense of this transport regulation.
<u>14.3.</u>	<b>Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<u>14.4.</u>	<b>Packing group:</b>	No dangerous good in sense of this transport regulation.

### Air transport (ICAO)

<u>14.1.</u>	<b>UN number:</b>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>		No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>		No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>		No dangerous good in sense of this transport regulation.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

### 14.6. Special precautions for user

not applicable



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

**COX591103 Schmier- und Haftöl**

Print date: 05.10.2015

Page 10 of 10

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2010/75/EU (VOC):

2004/42/EC (VOC):

**Additional information**Not subject to 96/82/EC **National regulatory information** Employment restrictions:

Water contaminating class (D):

**15.2. Chemical safety assessment**

not determined not determined

Observe employment restrictions for young people. Observe employment restrictions for child bearing mothers and nursing.

1 - slightly water contaminating

For this substance a chemical safety assessment has been carried out.

**SECTION 16: Other information****Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road ) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.