according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **R1 GENERAL PURPOSE CLEANER - 60 L**

Version Revision Date: SDS Number: Date of last issue: 07.11.2023 10.0 26.03.2024 10666952-00015 Date of first issue: 11.06.2010

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : R1 GENERAL PURPOSE CLEANER - 60 L

Product code : 0893125060

Unique Formula Identifier

(UFI)

: NTRC-R0HU-M00S-G0FD

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-Cleaning agent, Detergent stance/Mixture

Professional use product

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company : Adolf Wuerth GmbH & Co. KG

Reinhold-Würth-Str. 12-17

74653 Künzelsau

Telephone : +49 794015 0

Telefax +49 794015 10 00

E-mail address of person

responsible for the SDS

isi@wuerth.com

### 1.4 Emergency telephone number

+49 (0)6132 - 84463

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **R1 GENERAL PURPOSE CLEANER - 60 L**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.11.2023

 10.0
 26.03.2024
 10666952-00015
 Date of first issue: 11.06.2010

Hazard pictograms :

**!**>

Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.

Response:

P337 + P313 If eye irritation persists: Get medical advice/

attention.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Index-No.		, ,
	Registration number		
sodium p-cumenesulphonate	15763-76-5 239-854-6	Eye Irrit. 2; H319	>= 1 - < 10
	01-2119489411-37		
Isotridecanol, ethoxylated	9043-30-5	Eye Irrit. 2; H319 Aquatic Chronic 3; H412	>= 1 - < 2,5
Alpha-Isotridecyl omega-hydroxy polyethylene glycol	9043-30-5	Acute Tox. 4; H302 Eye Dam. 1; H318	>= 1 - < 3
		Acute toxicity esti- mate	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **R1 GENERAL PURPOSE CLEANER - 60 L**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.11.2023

 10.0
 26.03.2024
 10666952-00015
 Date of first issue: 11.06.2010

		Acute oral toxicity: 500 mg/kg	
Pyridine-2-thiol 1-oxide, sodium salt	3811-73-2 223-296-5 613-344-00-7 01-2119493385-28	Acute Tox. 4; H302 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT RE 1; H372 (Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 2; H411 EUH070  M-Factor (Acute aquatic toxicity): 100  Acute toxicity estimate  Acute oral toxicity: 500 mg/kg Acute inhalation toxicity (dust/mist): 0,5 mg/l Acute dermal toxicity: 790 mg/kg	>= 0,0025 - < 0,025

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### R1 GENERAL PURPOSE CLEANER - 60 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.11.2023

 10.0
 26.03.2024
 10666952-00015
 Date of first issue: 11.06.2010

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media : Not applicable

Will not burn

Unsuitable extinguishing

media

Not applicable Will not burn

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides Metal oxides

Sulphur oxides

Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### R1 GENERAL PURPOSE CLEANER - 60 L

Version Revision Date: SDS Number: Date of last issue: 07.11.2023 10.0 26.03.2024 10666952-00015 Date of first issue: 11.06.2010

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

parriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

#### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Avoid inhalation of vapour or mist.

Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### R1 GENERAL PURPOSE CLEANER - 60 L

Version Revision Date: SDS Number: Date of last issue: 07.11.2023 10.0 26.03.2024 10666952-00015 Date of first issue: 11.06.2010

place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store in accordance with

the particular national regulations.

No special restrictions on storage with other products. Advice on common storage

Storage class (TRGS 510) 12

Storage period 24 Months

Recommended storage tem- : > 5 °C

perature

7.3 Specific end use(s)

Specific use(s) No data available

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2,2',2"-	102-71-6	AGW (Inhalable	1 mg/m3	DE TRGS
Nitrilotriethanol		fraction)	_	900
	Peak-limit: ex	cursion factor (categ	ory): 1;(I)	
	Further information: When there is compliance with the OEL and biological			
	tolerance values, there is no risk of harming the unborn child			
		MAK (inhalable	1 mg/m3	DE DFG MAK
		fraction)		
	Peak-limit: excursion factor (category): 1; I			
	Further information: Damage to the embryo or foetus is unlikely when the			
	MAK value or the BAT value is observed			
Pyridine-2-thiol 1-	3811-73-2	AGW (Inhalable	0,2 mg/m3	DE TRGS
oxide, sodium salt		fraction)		900
	Peak-limit: excursion factor (category): 2;(II)			
	Further information: Skin absorption, When there is compliance with the OEL			
	and biological tolerance values, there is no risk of harming the unborn child			
		MAK (inhalable	0,2 mg/m3	DE DFG MAK
		fraction)		
	Peak-limit: excursion factor (category): 2; II			
	Further information: Danger of absorption through the skin, Damage to the			
	embryo or foetus is unlikely when the MAK value or the BAT value is ob-			
	served			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **R1 GENERAL PURPOSE CLEANER - 60 L**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.11.2023

 10.0
 26.03.2024
 10666952-00015
 Date of first issue: 11.06.2010

Substance name	End Use	Exposure routes	Potential health effects	Value
sodium p- cumenesulphonate	Workers	Inhalation	Long-term systemic effects	26,9 mg/m3
	Workers	Skin contact	Long-term systemic effects	136,25 mg/kg bw/day
	Workers	Skin contact	Long-term local ef- fects	0,096 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	6,6 mg/m3
	Consumers	Skin contact	Long-term systemic effects	68,1 mg/kg bw/day
	Consumers	Skin contact	Long-term local ef- fects	0,048 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	3,8 mg/kg bw/day
2,2',2"-Nitrilotriethanol	Workers	Skin contact	Long-term systemic effects	6,3 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	5 mg/m3
	Workers	Inhalation	Long-term systemic effects	5 mg/m3
	Consumers	Ingestion	Long-term systemic effects	13 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	3,1 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	1,25 mg/m3
	Consumers	Inhalation	Long-term systemic effects	1,25 mg/m3

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

		· · · · · · · · · · · · · · · · · · ·
Substance name	Environmental Compartment	Value
sodium p-cumenesulphonate	Fresh water	0,23 mg/l
	Marine water	0,023 mg/l
	Intermittent use/release	2,3 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	0,862 mg/kg
	Marine sediment	0,0862 mg/kg
	Soil	0,037 mg/kg
2,2',2"-Nitrilotriethanol	Fresh water	0,32 mg/l
	Marine water	0,032 mg/l
	Intermittent use/release	5,12 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	1,7 mg/kg dry
		weight (d.w.)
	Marine sediment	0,17 mg/kg dry
		weight (d.w.)
	Soil	0,151 mg/kg dry
		weight (d.w.)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### R1 GENERAL PURPOSE CLEANER - 60 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.11.2023

 10.0
 26.03.2024
 10666952-00015
 Date of first issue: 11.06.2010

#### 8.2 Exposure controls

#### **Engineering measures**

Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:

Safety goggles

Equipment should conform to DIN EN 166

Hand protection

Material : butyl-rubber
Break through time : > 480 min
Glove thickness : >= 0,4 mm

Directive : Equipment should conform to DIN EN 374

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : >= 0,4 mm

Directive : Equipment should conform to DIN EN 374

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Equipment should conform to DIN EN 14387

Filter type : Organic vapour type (A)

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : orange

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **R1 GENERAL PURPOSE CLEANER - 60 L**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.11.2023

 10.0
 26.03.2024
 10666952-00015
 Date of first issue: 11.06.2010

Odour : fruity

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

100 °C

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Will not burn

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : boils before flash

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 9,4 (20 °C)

Concentration: 100 %

Viscosity

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : completely miscible

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : 23 hPa (20 °C)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **R1 GENERAL PURPOSE CLEANER - 60 L**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.11.2023

 10.0
 26.03.2024
 10666952-00015
 Date of first issue: 11.06.2010

Relative density : No data available

Density : 1,04 g/cm³ (20 °C)

Relative vapour density : No data available

Particle characteristics

Particle size : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Acids

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

### **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Inhalation exposure Skin contact

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### R1 GENERAL PURPOSE CLEANER - 60 L

Version Revision Date: SDS Number: Date of last issue: 07.11.2023 10.0 26.03.2024 10666952-00015 Date of first issue: 11.06.2010

Ingestion Eye contact

**Acute toxicity** 

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

**Components:** 

sodium p-cumenesulphonate:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 6,41 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Isotridecanol, ethoxylated:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Alpha-Isotridecyl omega-hydroxy polyethylene glycol:

Acute oral toxicity : LD50 (Rat): 500 - 2.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Pyridine-2-thiol 1-oxide, sodium salt:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg

Method: Expert judgement

Acute inhalation toxicity : LC50 (Rat, female): > 0,5 - 1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute toxicity estimate: 0,5 mg/l Test atmosphere: dust/mist

Method: Expert judgement

Remarks: Based on national or regional regulation.

Acute dermal toxicity : LD50 (Rabbit): 790 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **R1 GENERAL PURPOSE CLEANER - 60 L**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.11.2023

 10.0
 26.03.2024
 10666952-00015
 Date of first issue: 11.06.2010

#### Skin corrosion/irritation

Not classified based on available information.

### **Components:**

#### sodium p-cumenesulphonate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

### Alpha-Isotridecyl omega-hydroxy polyethylene glycol:

Species : Rabbit

Result : No skin irritation

### Pyridine-2-thiol 1-oxide, sodium salt:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

### Serious eye damage/eye irritation

Causes serious eye irritation.

### **Components:**

#### sodium p-cumenesulphonate:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritation to eyes, reversing within 21 days

Isotridecanol, ethoxylated:

Result : Irritation to eyes, reversing within 7 days

### Alpha-Isotridecyl omega-hydroxy polyethylene glycol:

Species : Rabbit

Result : Irreversible effects on the eye

## Pyridine-2-thiol 1-oxide, sodium salt:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritation to eyes, reversing within 21 days

Result : Toxic by eye contact.

### Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### R1 GENERAL PURPOSE CLEANER - 60 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.11.2023

 10.0
 26.03.2024
 10666952-00015
 Date of first issue: 11.06.2010

#### Respiratory sensitisation

Not classified based on available information.

## **Components:**

### sodium p-cumenesulphonate:

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

### Alpha-Isotridecyl omega-hydroxy polyethylene glycol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials

### Pyridine-2-thiol 1-oxide, sodium salt:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse

Method : OECD Test Guideline 406

Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

### sodium p-cumenesulphonate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay)
Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

### Alpha-Isotridecyl omega-hydroxy polyethylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### R1 GENERAL PURPOSE CLEANER - 60 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.11.2023

 10.0
 26.03.2024
 10666952-00015
 Date of first issue: 11.06.2010

Pyridine-2-thiol 1-oxide, sodium salt:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: positive

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

### Carcinogenicity

Not classified based on available information.

## **Components:**

### sodium p-cumenesulphonate:

Species : Mouse
Application Route : Skin contact
Exposure time : 2 Years
Result : negative

Remarks : Based on data from similar materials

### Pyridine-2-thiol 1-oxide, sodium salt:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

Species : Mouse
Application Route : Skin contact
Exposure time : 80 weeks
Result : negative

### Reproductive toxicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### R1 GENERAL PURPOSE CLEANER - 60 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.11.2023

 10.0
 26.03.2024
 10666952-00015
 Date of first issue: 11.06.2010

#### **Components:**

### sodium p-cumenesulphonate:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

## Alpha-Isotridecyl omega-hydroxy polyethylene glycol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Skin contact

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Remarks: Based on data from similar materials

### Pyridine-2-thiol 1-oxide, sodium salt:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Skin contact

Result: negative

### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

### **Components:**

#### Pyridine-2-thiol 1-oxide, sodium salt:

Exposure routes : Ingestion

Target Organs : Nervous system

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### R1 GENERAL PURPOSE CLEANER - 60 L

Version Revision Date: SDS Number: Date of last issue: 07.11.2023 10.0 26.03.2024 10666952-00015 Date of first issue: 11.06.2010

Assessment : Shown to produce significant health effects in animals at con-

centrations of 10 mg/kg bw or less.

Exposure routes : Skin contact
Target Organs : Nervous system

Assessment : Shown to produce significant health effects in animals at con-

centrations of 20 mg/kg bw or less.

Exposure routes : inhalation (dust/mist/fume)

Target Organs : Nervous system

Assessment : Shown to produce significant health effects in animals at con-

centrations of 0.02 mg/l/6h/d or less.

### Repeated dose toxicity

#### **Components:**

#### sodium p-cumenesulphonate:

Species : Rat

NOAEL : > 763 - < 3.534 mg/kg

Application Route : Ingestion Exposure time : 90 Days

Remarks : Based on data from similar materials

### Alpha-Isotridecyl omega-hydroxy polyethylene glycol:

Species : Rat

NOAEL : > 500 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Remarks : Based on data from similar materials

#### Pyridine-2-thiol 1-oxide, sodium salt:

Species : Rat
NOAEL : 0,5 mg/kg
LOAEL : 2 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Species : Rat

NOAEL : 0,0011 mg/l LOAEL : 0,0081 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 90 Days

Species : Rat

NOAEL : 5 mg/kg

LOAEL : 15 mg/kg

Application Route : Skin contact

Exposure time : 13 Weeks

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### R1 GENERAL PURPOSE CLEANER - 60 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.11.2023

 10.0
 26.03.2024
 10666952-00015
 Date of first issue: 11.06.2010

### **Aspiration toxicity**

Not classified based on available information.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

### **Components:**

sodium p-cumenesulphonate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): >= 230

mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): 31

mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 : >= 1.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Isotridecanol, ethoxylated:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### R1 GENERAL PURPOSE CLEANER - 60 L

Version Revision Date: SDS Number: Date of last issue: 07.11.2023 10.0 26.03.2024 10666952-00015 Date of first issue: 11.06.2010

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 1 - 10

mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): > 1 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC: > 0,1 - 1 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Remarks: Based on data from similar materials

Alpha-Isotridecyl omega-hydroxy polyethylene glycol:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 1 - 10 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 7,07 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 10 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 1.000 mg/l

Exposure time: 17 h Method: DIN 38 412 Part 8

Pyridine-2-thiol 1-oxide, sodium salt:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7,67 µg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,15 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 0,22 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 0,033 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- :

icity)

100

Toxicity to microorganisms : EC50 (activated sludge): 1,81 mg/l

18 / 25

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### R1 GENERAL PURPOSE CLEANER - 60 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.11.2023

 10.0
 26.03.2024
 10666952-00015
 Date of first issue: 11.06.2010

Exposure time: 3 h

Method: OECD Test Guideline 209

### 12.2 Persistence and degradability

#### **Components:**

#### sodium p-cumenesulphonate:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 99,8 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Remarks: Based on data from similar materials

Isotridecanol, ethoxylated:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 60 % Exposure time: 28 d

Method: OECD Test Guideline 301F

## Alpha-Isotridecyl omega-hydroxy polyethylene glycol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 75 - 82 % Exposure time: 28 d

Remarks: Based on data from similar materials

### Pyridine-2-thiol 1-oxide, sodium salt:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 79 % Exposure time: 28 d

Method: OECD Test Guideline 301B

#### 12.3 Bioaccumulative potential

#### **Components:**

### sodium p-cumenesulphonate:

Partition coefficient: n- : log Pow: -1,1

octanol/water

## Pyridine-2-thiol 1-oxide, sodium salt:

Partition coefficient: n- : log Pow: -2,38

octanol/water Method: OECD Test Guideline 107

### 12.4 Mobility in soil

No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### R1 GENERAL PURPOSE CLEANER - 60 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.11.2023

 10.0
 26.03.2024
 10666952-00015
 Date of first issue: 11.06.2010

#### 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

### 12.6 Endocrine disrupting properties

### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

Waste Code : The following Waste Codes are only suggestions:

used product

20 01 29, detergents containing hazardous substances

unused product

20 01 29, detergents containing hazardous substances

uncleaned packagings

15 01 10, packaging containing residues of or contaminated

by hazardous substances

Acc. Packaging Act properly emptied packaging: Properly emptied, non-contaminated packaging of nonhazardous products can be supplied to a system for the col-

lection of sales packaging.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### R1 GENERAL PURPOSE CLEANER - 60 L

Version Revision Date: SDS Number: Date of last issue: 07.11.2023 10.0 26.03.2024 10666952-00015 Date of first issue: 11.06.2010

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### R1 GENERAL PURPOSE CLEANER - 60 L

Version Revision Date: SDS Number: Date of last issue: 07.11.2023 10.0 26.03.2024 10666952-00015 Date of first issue: 11.06.2010

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered: Number on list 75, 3

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or

If you intend to use this product as tattoo ink, please contact your ven-

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation (Annex XIV)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Water hazard class (Germa-

WGK 1 slightly hazardous to water

Classification according to AwSV, Annex 1 (5.2)

5.2.1: Total dust: TA Luft List (Germany)

Not applicable

5.2.2: Inorganic substances in powdered form:

Not applicable

5.2.4: Inorganic substances in gaseous form:

Not applicable

5.2.5: Organic Substances:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### R1 GENERAL PURPOSE CLEANER - 60 L

Version Revision Date: SDS Number: Date of last issue: 07.11.2023 10.0 26.03.2024 10666952-00015 Date of first issue: 11.06.2010

Not applicable

5.2.7.1.1: Carcinogenic substance:

Not applicable

5.2.7.1.1: Quartz fine dust PM4:

Not applicable

5.2.7.1.1: Formaldehyde:

Not applicable 5.2.7.1.1: fibres: Not applicable

5.2.7.1.2: Germ cell mutagens:

Not applicable

5.2.7.1.3: Substances toxic to reproduction:

Not applicable

5.2.7.2: Poorly degradable, easily enrichable and highly toxic

organic substances: Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,03 %, 0,4 g/l

Regulation (EC) No. 648/2004, as amended

less than 5 %: Anionic surfactants, Non-ionic surfactants

Other constituents: Perfumes

Preservation agents: SODIUM PYRITHIONE PHENOXYETHANOL

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

#### **Full text of H-Statements**

H302 : Harmful if swallowed.
H311 : Toxic in contact with skin.
H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.

H330 : Fatal if inhaled.

H372 : Causes damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H411 : Toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

EUH070 : Toxic by eye contact.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### R1 GENERAL PURPOSE CLEANER - 60 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.11.2023

 10.0
 26.03.2024
 10666952-00015
 Date of first issue: 11.06.2010

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

DE DFG MAK : Germany. MAK BAT Annex IIa

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

DE DFG MAK / MAK : MAK value

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008: CMR - Carcinogen, Mutagen or Reproductive Toxicant: DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Sheet cy, http://echa.europa.eu/

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **R1 GENERAL PURPOSE CLEANER - 60 L**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.11.2023

 10.0
 26.03.2024
 10666952-00015
 Date of first issue: 11.06.2010

Classification of the mixture: Classification procedure:

Eye Irrit. 2 H319 Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

DE / EN