

LACQUER SPRAY QUATTRO RAL 6018 YELLOWGREEN - 400 ML

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
11.1	28.07.2023	10623142-00011	Date of first issue: 11.06.2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	LACQUER SPRAY QUATTRO RAL 6018 YELLOWGREEN - 400 ML
Product code	:	0893396018
Unique Formula Identifier (UFI)	:	9003-A090-W00Y-76J4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	:	Paint Professional use product
Recommended restrictions on use	:	Not applicable

1.3 Details of the supplier of the safety data sheet

Company	:	Adolf Wuerth GmbH & Co. KG Reinhold-Würth-Str. 12-17 74653 Künzelsau
Telephone	:	+49 794015 0
Telefax	:	+49 794015 10 00
E-mail address of person responsible for the SDS	:	isi@wuerth.com

1.4 Emergency telephone number

+49 (0)6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.				
Specific target organ toxicity - single exposure, Category 3	H336: May cause drowsiness or dizziness.				



LACQUER SPRAY QUATTRO RAL 6018 YELLOWGREEN - 400 ML

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
11.1	28.07.2023	10623142-00011	Date of first issue: 11.06.2010

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms :

Signal word	:	Danger
Hazard statements	:	 H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated. H336 May cause drowsiness or dizziness.
Precautionary statements :		 Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P261 Avoid breathing spray. P271 Use only outdoors or in a well-ventilated area.
		Storage: P410 + P412 Protect from sunlight. Do not expose to tem- peratures exceeding 50 °C/ 122 °F.

Hazardous components which must be listed on the label:

Dimethyl ether n-Butyl acetate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical name CAS	-No.	Classification	Concentration

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LACQUER SPRAY QUATTRO RAL 6018 **YELLOWGREEN - 400 ML**

sion I	Revision Date: 28.07.2023		of last issue: 21.03.2023 of first issue: 11.06.2010	
		EC-No. Index-No. Registration number		(% w/w)
Dimet	hyl ether	115-10-6 204-065-8 603-019-00-8 01-2119472128-37	Flam. Gas 1A; H220 Press. Gas Liquefied gas; H280 STOT SE 3; H336	>= 30 - < 5
n-Buty	yl acetate	123-86-4 204-658-1 607-025-00-1 01-2119485493-29	Flam. Liq. 3; H226 STOT SE 3; H336 EUH066	>= 20 - < 3
Xylen	e	1330-20-7 215-535-7 601-022-00-9 01-2119488216-32	Flam. Liq. 3; H226 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 STOT RE 2; H373 (Auditory system) Asp. Tox. 1; H304 Aquatic Chronic 3; H412 Acute toxicity esti- mate Acute inhalation tox- icity (vapour): 11 mg/l Acute dermal toxicity: 1.100 mg/kg	>= 2,5 - < 7
Ethylb	penzene	100-41-4 202-849-4 601-023-00-4	Flam. Liq. 2; H225 Acute Tox. 4; H332 STOT RE 2; H373 (Auditory system) Asp. Tox. 1; H304 Aquatic Chronic 3; H412 Acute toxicity esti- mate Acute inhalation tox- icity (vapour): 17,8 mg/l	>= 1 - < 2,
	ances with a workpla			
Bariur	m sulfate	7727-43-7 231-784-4		>= 1 - < 10

For explanation of abbreviations see section 16.



LACQUER SPRAY QUATTRO RAL 6018 YELLOWGREEN - 400 ML

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
11.1	28.07.2023	10623142-00011	Date of first issue: 11.06.2010

SECTION 4: First aid measures

4.1 Description of first aid measures				
General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.		
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).		
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.		
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.		
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.		
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.		
4.2 Most important symptoms and effects, both acute and delayed				

4.

: May cause drowsiness or dizziness. Risks

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by



Commission Regulation (EU) 2020/878

LACQUER SPRAY QUATTRO RAL 6018 **YELLOWGREEN - 400 ML**

Vers 11.1		Revision Date: 28.07.2023		0S Number: 623142-00011	Date of last issue: 21.03.2023 Date of first issue: 11.06.2010				
5.2	5.2 Special hazards arising from the substance or mixture								
Specific hazards during fire- fighting			:	Flash back possible over considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health. If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.					
	Hazard ucts	ous combustion prod-	:	Carbon oxides Nitrogen oxides (I Metal oxides Sulphur oxides	NOx)				
5.3	Advice	for firefighters							
	Special protective equipment for firefighters		:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.					
	Specifi ods	c extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do				

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures						
Personal precautions :	Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).					
6.2 Environmental precautions						
Environmental precautions :	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.					
6.3 Methods and material for conta	inment and cleaning up					
Methods for cleaning up :	Non-sparking tools should be used. Soak up with inert absorbent material.					

Suppress (knock down) gases/vapours/mists with a water spray jet. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by



Commission Regulation (EU) 2020/878

LACQUER SPRAY QUATTRO RAL 6018 **YELLOWGREEN - 400 ML**

Version 11.1	Revision Date: 28.07.2023	SDS Number: 10623142-00011	Date of last issue: 21.03.2023 Date of first issue: 11.06.2010
		Clean up remai bent. Local or nationa posal of this ma employed in the mine which regu Sections 13 and	are recovered material in appropriate container. ning materials from spill with suitable absor- al regulations may apply to releases and dis- aterial, as well as those materials and items e cleanup of releases. You will need to deter- ulations are applicable. d 15 of this SDS provide information regarding national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation. If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventila- tion.
Advice on safe handling	:	Do not get on skin or clothing. Do not breathe spray. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment. Do not spray on an open flame or other ignition source.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami- nated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Store locked up. Keep in a cool, well-ventilated place. Store in
areas and containers		accordance with the particular national regulations. Do not



LACQUER SPRAY QUATTRO RAL 6018 YELLOWGREEN - 400 ML

Version 11.1	Revision Date: 28.07.2023	SDS Number: 10623142-00011	Date of last issue: 21.03.2023 Date of first issue: 11.06.2010
		pierce or burn light.	n, even after use. Keep cool. Protect from sun-
Advic	e on common storage	Self-reactive Organic pero Oxidizing age Flammable s Pyrophoric lic Pyrophoric so Self-heating s	ents blids Juids blids substances and mixtures and mixtures, which in contact with water, emit
Stora	ge class (TRGS 510)	: 2B	
-	ic end use(s) fic use(s)	: No data avail	able

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
Dimethyl ether	115-10-6	TWA	1.000 ppm 1.920 mg/m3	2000/39/EC		
	Further inform	nation: Indicative				
		AGW	1.000 ppm 1.900 mg/m3	DE TRGS 900		
	Peak-limit: ex	cursion factor (categ	ory): 8;(II)			
n-Butyl acetate	123-86-4	STEL	150 ppm 723 mg/m3	2019/1831/E U		
	Further inform	nation: Indicative				
		TWA	50 ppm 241 mg/m3	2019/1831/E U		
	Further inform	nation: Indicative				
		AGW	62 ppm 300 mg/m3	DE TRGS 900		
	Peak-limit: ex	cursion factor (categ	ory): 2;(I)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					
Barium sulfate	7727-43-7	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900		
	Peak-limit: ex	Peak-limit: excursion factor (category): 2;(II)				

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LACQUER SPRAY QUATTRO RAL 6018 YELLOWGREEN - 400 ML

rsion Revisior .1 28.07.20			ate of last issue: 21.03.20 ate of first issue: 11.06.20				
		AGW (Alveolate fraction)	1,25 mg/m3	DE TRGS 900			
	Peak-limit: e	xcursion factor (cate					
		TWA	0,5 mg/m3 (Barium)	2006/15/EC			
	Further infor	mation: Indicative					
Xylene	1330-20-7	TWA	50 ppm 221 mg/m3	2000/39/EC			
		Further information: Identifies the possibility of significant uptake through skin, Indicative					
		STEL	100 ppm 442 mg/m3	2000/39/EC			
		Further information: Identifies the possibility of significant uptake through t skin, Indicative					
		AGW	50 ppm 220 mg/m3	DE TRGS 900			
	Peak-limit: e	Peak-limit: excursion factor (category): 2;(II)					
		Further information: Skin absorption					
Titanium dioxide	13463-67-7	AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900			
	Peak-limit: e	Peak-limit: excursion factor (category): 2;(II)					
		AGW (Alveolate fraction)	1,25 mg/m3 (Titanium dioxide)	DE TRGS 900			
	Peak-limit: e	xcursion factor (cate	gory): 2;(II)				
		BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527			
Ethylbenzene	100-41-4	TWA	100 ppm 442 mg/m3	2000/39/EC			
		Further information: Identifies the possibility of significant uptake through t skin, Indicative					
		STEL	200 ppm 884 mg/m3	2000/39/EC			
	Further inform skin, Indication	ve	possibility of significant u	ptake through the			
		AGW	20 ppm 88 mg/m3	DE TRGS 900			
		xcursion factor (cate mation: Skin absorpt	gory): 2;(II) ion, When there is compli	ance with the OFI			
			here is no risk of harming				

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
Formaldehyde	50-00-0	TWA	0,3 ppm 0,37 mg/m3	2004/37/EC		
	Further information: Dermal sensitisation, Carcinogens or mutagens					
		STEL	0,6 ppm 0,74 mg/m3	2004/37/EC		
	Further information: Dermal sensitisation, Carcinogens or mutagens					

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LACQUER SPRAY QUATTRO RAL 6018 YELLOWGREEN - 400 ML

Version 11.1	Revision Date: 28.07.2023	SDS Number: 10623142-00011	Date of last issue: 21.03.202 Date of first issue: 11.06.201	-			
		AGW	0,3 ppm 0,37 mg/m3	DE TRGS 900			
	Pea	k-limit: excursion factor	(category): 2;(I)				
Metha	activ Ord com harr anol 67-5	vity or procedure accord nance - in addition, § 10 pliance with the OEL an ning the unborn child, S 6-1 TWA	agenic substance Cat. 1A or 1B of ing to § 2 (3) No. 4 of the Hazard O GefStoffV must be observed, V ad biological tolerance values, the ubstance sensitizing through the 200 ppm 260 mg/m3	dous Substances Vhen there is ere is no risk of skin 2006/15/EC			
		Further information: Indicative, Identifies the possibility of significant uptake through the skin					
		AGW	100 ppm 130 mg/m3	DE TRGS 900			
	Pea	Peak-limit: excursion factor (category): 2;(II)					
	Furt	Further information: Skin absorption, When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
Xylene	1330-20-7	methylhippuric acid (all isomers): 2.000 mg/l (Urine)	Immediately after exposure or after working hours	TRGS 903
Ethylbenzene	100-41-4	mandelic acid + phenylglyoxylic acid: 250 mg/g Creatinine (Urine)	Immediately after exposure or after working hours	TRGS 903

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Xylene	Workers	Inhalation	Long-term systemic effects	221 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	442 mg/m3
	Workers	Inhalation	Long-term local ef- fects	221 mg/m3
	Workers	Inhalation	Acute local effects	442 mg/m3
	Workers	Skin contact	Long-term systemic effects	212 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	65,3 mg/m3
	Consumers	Inhalation	Acute systemic ef- fects	260 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	65,3 mg/m3
	Consumers	Inhalation	Acute local effects	260 mg/m3
	Consumers	Skin contact	Long-term systemic effects	125 mg/kg bw/day

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



sion 1	Revision Date: 28.07.2023	SDS Nu 1062314		of last issue: 21.03.2023 of first issue: 11.06.2010	
		Consumers	Ingestion	Long-term systemic effects	12,5 mg/kg bw/day
Ethylbenzene		Workers	Inhalation	Long-term systemic effects	77 mg/m3
		Workers	Inhalation	Acute local effects	293 mg/m3
		Workers	Skin contact	Long-term systemic effects	180 mg/kg bw/day
		Consumers	Inhalation	Long-term systemic effects	15 mg/m3
		Consumers	Ingestion	Long-term systemic effects	1,6 mg/kg bw/day
n-But	yl acetate	Workers	Inhalation	Acute systemic ef- fects	600 mg/m3
		Workers	Inhalation	Acute local effects	600 mg/m3
		Workers	Inhalation	Long-term systemic effects	300 mg/m3
		Workers	Inhalation	Long-term local ef- fects	300 mg/m3
		Consumers	Inhalation	Acute systemic ef- fects	300 mg/m3
		Consumers	Inhalation	Acute local effects	300 mg/m3
		Consumers	Inhalation	Long-term systemic effects	35,7 mg/m3
		Consumers	Inhalation	Long-term local ef- fects	35,7 mg/m3
		Consumers	Skin contact	Long-term systemic effects	11 mg/kg bw/day
		Consumers	Skin contact	Acute systemic ef- fects	11 mg/kg bw/day
		Consumers	Skin contact	Long-term systemic effects	6 mg/kg bw/day
		Consumers	Skin contact	Acute systemic ef- fects	6 mg/kg bw/day
		Consumers	Ingestion	Long-term systemic effects	2 mg/kg bw/day
		Consumers	Ingestion	Acute systemic ef- fects	2 mg/kg bw/day
Dimet	thyl ether	Workers	Inhalation	Long-term systemic effects	1894 mg/m
		Consumers	Inhalation	Long-term systemic effects	471 mg/m3
nitrop metho	methoxy-4- henyl)azo]-N-(2- oxyphenyl)-3- utyramide	Workers	Inhalation	Long-term systemic effects	49 mg/m3
		Workers	Inhalation	Long-term local ef- fects	3 mg/m3
		Workers	Skin contact	Long-term systemic effects	42 mg/kg bw/day
		Consumers	Skin contact	Long-term systemic effects	25 mg/kg bw/day

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LACQUER SPRAY QUATTRO RAL 6018 YELLOWGREEN - 400 ML

Version Revision Da 11.1 28.07.2023		SDS Nur 1062314		Date of last issue: 21.03.2023 Date of first issue: 11.06.2010			
		Consumers	Ingestion	Long-term systemic effects	25 mg/kg bw/day		
Bariu	m sulfate	Workers	Inhalation	Long-term local ef- fects	10 mg/m3		
		Workers	Inhalation	Long-term systemic effects	10 mg/m3		
		Consumers	Inhalation	Long-term systemic effects	10 mg/m3		
		Consumers	Ingestion	Long-term systemic effects	13000 mg/kg bw/day		

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Xylene	Fresh water	0,327 mg/l
	Intermittent use/release	0,327 mg/l
	Marine water	0,327 mg/l
	Sewage treatment plant	6,58 mg/l
	Fresh water sediment	12,46 mg/kg dry
		weight (d.w.)
	Marine sediment	12,46 mg/kg dry
		weight (d.w.)
	Soil	2,31 mg/kg dry
		weight (d.w.)
Ethylbenzene	Fresh water	0,1 mg/l
	Freshwater - intermittent	0,1 mg/l
	Marine water	0,01 mg/l
	Sewage treatment plant	9,6 mg/l
	Fresh water sediment	13,7 mg/kg dry
		weight (d.w.)
	Marine sediment	1,37 mg/kg dry
		weight (d.w.)
	Soil	2,68 mg/kg dry
		weight (d.w.)
	Oral (Secondary Poisoning)	20 mg/kg food
n-Butyl acetate	Fresh water	0,18 mg/l
	Marine water	0,018 mg/l
	Sewage treatment plant	35,6 mg/l
	Fresh water sediment	0,981 mg/kg dry
		weight (d.w.)
	Marine sediment	0,098 mg/kg dry
		weight (d.w.)
	Soil	0,09 mg/kg dry
		weight (d.w.)
Dimethyl ether	Fresh water	0,155 mg/l
	Marine water	0,016 mg/l
	Intermittent use/release	1,549 mg/l
	Sewage treatment plant	160 mg/l
	Fresh water sediment	0,681 mg/kg dry
		weight (d.w.)
	Marine sediment	0,069 mg/kg dry

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LACQUER SPRAY QUATTRO RAL 6018 YELLOWGREEN - 400 ML

Version 11.1				Number: 3142-00011	Date of last issue: 21.03.202 Date of first issue: 11.06.20	
						weight (d.w.)
			97	Soil		0,045 mg/kg dry weight (d.w.)
	Bariun	n sulfate	F	Fresh water		0,115 mg/l
			5	Sewage treatme	ent plant	62,2 mg/l
			F	Fresh water sec	liment	600,4 mg/kg dry weight (d.w.)
		Ś	Soil		207,7 mg/kg dry weight (d.w.)	

8.2 Exposure controls

Engineering measures

Processing may form hazardous compounds (see section 10).

Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust ventilation.

If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.

Personal protective equipment

	Wear the following personal protective equipment: Safety glasses Equipment should conform to DIN EN 166
--	---

Hand protection

Material Break through time Glove thickness Directive		Nitrile rubber > 30 min 0,4 mm Equipment should conform to DIN EN 374
Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous sub- stance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufactur- er. Wash hands before breaks and at the end of workday.
Skin and body protection	:	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Wear the following personal protective equipment: If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
Respiratory protection	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to DIN EN 137



Versior 11.1	n Revision Date: 28.07.2023	SDS Number: 10623142-00011		Date of last issue: 21.03.2023 Date of first issue: 11.06.2010
	Filter type		Self-contained bre	eathing apparatus
SECT	ION 9: Physical and che	mic	al properties	
	ormation on basic physica	l an :	d chemical prope aerosol	erties
Pr	opellant	:	Dimethyl ether	
Co	blour	:	yellow, green	
0	dour	:	aromatic	
0	dour Threshold	:	No data available	9
M	elting point/freezing point	:	No data available	2
	itial boiling point and boiling nge	:	-24 °C	
Fl	ammability (solid, gas)	:	Extremely flamm	able aerosol.
	Upper explosion limit / Upper flammability limit		18,6 %(V)	
	ower explosion limit / Lower Immability limit	:	1,1 %(V)	
Fl	ash point	:	27 °C Flash point is onl	y valid for liquid portion in the aerosol can.
Au	uto-ignition temperature	:	235 °C	
De	ecomposition temperature	:	No data available	9
pł	1	:	Solvent mixture; aqueous solution	pH value determination not possible, no
Vi	Viscosity Viscosity, kinematic		Not applicable	
So	Solubility(ies) Water solubility		immiscible, partly	/ miscible
	artition coefficient: n- tanol/water	:	Not applicable	
Va	Vapour pressure		5.200 hPa (20 °C	2)



LACQUER SPRAY QUATTRO RAL 6018 YELLOWGREEN - 400 ML

Version 11.1	Revision Date: 28.07.2023	SDS Number: 10623142-00011	Date of last issue: 21.03.2023 Date of first issue: 11.06.2010				
Density		: 0,8 g/cm ³ (20 °C)					
Relative vapour density		: Not applicable					
Particle characteristics Particle size		: Not applicable					
9.2 Oth	er information						
Explosives		: Not explosive					
Ox	idizing properties	: The substance	e or mixture is not classified as oxidizing.				
Ev	Evaporation rate : Not application						

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Extremely flammable aerosol. Vapours may form explosive mixture with air. If the temperature rises there is danger of the vessels bursting due to the high vapor pressure. Can react with strong oxidizing agents. Hazardous decomposition products will be formed at elevated temperatures.
10.4 Conditions to avoid Conditions to avoid	:	Heat, flames and sparks.
10.5 Incompatible materials Materials to avoid	:	Oxidizing agents

10.6 Hazardous decomposition products

Thermal decomposition	: Forma	ldehyde
-	Methar	าอไ

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of	:	Inhalation
exposure		Skin contact

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 11.1	Revision Date: 28.07.2023		DS Number: 623142-00011	Date of last issue: 21.03.2023 Date of first issue: 11.06.2010
			Ingestion Eye contact	
	ite toxicity classified based on availa	able	information.	
Pro	duct:			
Acu	te inhalation toxicity	:	Acute toxicity esti Exposure time: 4 Test atmosphere: Method: Calculati	h : vapour
Acu	te dermal toxicity	:	Acute toxicity esti Method: Calculati	mate: > 2.000 mg/kg on method
Cor	nponents:			
Dim	nethyl ether:			
Acu	te inhalation toxicity	:	LC50 (Rat): 1640 Exposure time: 4 Test atmosphere:	h
n-B	utyl acetate:			
Acu	te oral toxicity	:	LD50 (Rat): > 5.0	00 mg/kg
Acu	te inhalation toxicity	:	LC50 (Rat): > 21, Exposure time: 4 Test atmosphere: Method: OECD T	h
Acu	te dermal toxicity	:	LD50 (Rabbit): >	5.000 mg/kg
Xyl	ene:			
-	te oral toxicity	:	LD50 (Rat): 3.523 Method: Directive	3 mg/kg e 67/548/EEC, Annex V, B.1.
Acu	te inhalation toxicity	:	Acute toxicity esti Exposure time: 4 Test atmosphere: Method: Expert ju Remarks: Based	h : vapour
Acu	te dermal toxicity	:	Method: Expert ju	mate: 1.100 mg/kg idgement on national or regional regulation.
Eth	ylbenzene:			
	te oral toxicity	:	LD50 (Rat): 3.500) mg/kg



xicity :	:	LC50 (Rat): 17,8 r Exposure time: 4 l Test atmosphere: LD50 (Rabbit): > 5	h vapour
xicity : ty /irritation	:	Exposure time: 4 I Test atmosphere: LD50 (Rabbit): > 5	h vapour
ty : /irritation		· · · ·	5.000 mg/kg
ty : /irritation	:	LD50 (Rat): > 5.00	
/irritation	:	LD50 (Rat): > 5.00	
			00 mg/kg
ased on availabl			
	le i	information.	
		Repeated exposu	re does not cause skin dryness or cracking.
	•		
:			
:		Rabbit No skin irritation	
:	•	Repeated exposure may cause skin dryness or cracking.	
:		Rabbit Skin irritation	
:			
:	:	reconstructed hum OECD Test Guide	nan epidermis (RhE)
-	:		m similar materials
:		No skin irritation	
mage/eye irrita	atio	on	
ased on availabl	le i	information.	
:			
:	:	Rabbit	lino 405
:	:	No eye irritation	
	:	Rabbit	
		:	: OECD Test Guide : No eye irritation



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

/ersion 1.1	Revision Date: 28.07.2023		OS Number: 623142-00011	Date of last issue: 21.03.2023 Date of first issue: 11.06.2010
Result		:	Irritation to eyes,	reversing within 21 days
Bariun Specie Methoo		:	Rabbit OECD Test Guide	eline 405
Result		:	No eye irritation	
Respir	ratory or skin sensi	itisatic	on	
Skin s	ensitisation			
Not cla	assified based on ava	ailable	information.	
-	ratory sensitisation assified based on ava		information.	
	onents:			
n-Buty	/I acetate:			
Test T		:	Maximisation Tes	st
Exposi Specie	ure routes	:	Skin contact Guinea pig	
Result		:	negative	
Xylene) :			
Test T		:	Local lymph node	e assay (LLNA)
	ure routes	:	Skin contact Mouse	
Specie Result		:	negative	
Bariun	n sulfate:			
Test T	уре	:	Local lymph node	e assay (LLNA)
	ure routes	:	Skin contact	
Specie Methor		÷	Mouse OECD Test Guide	eline 129
Result		÷	negative	
Remar		:		om similar materials
	cell mutagenicity			
Not cla	assified based on ava	ailable	information.	
Comp	onents:			
Dimetl	hyl ether:			
Genoto	oxicity in vitro	:		rial reverse mutation assay (AMES) est Guideline 471
				nosome aberration test in vitro est Guideline 473
			17 / 33	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 11.1	Revision Date: 28.07.2023	SDS Number:Date of last issue: 21.010623142-00011Date of first issue: 11.0	
		Result: negative	
		Test Type: In vitro mammalian cell gene n Method: OECD Test Guideline 476 Result: negative	nutation test
Genc	otoxicity in vivo	: Test Type: Sex-linked recessive lethal tes anogaster (in vivo) Application Route: inhalation (gas) Result: negative	t in Drosophila mel-
n-Bu	tyl acetate:		
Geno	toxicity in vitro	: Test Type: Bacterial reverse mutation ass Result: negative	ay (AMES)
Xyler	ne:		
Geno	otoxicity in vitro	: Test Type: Bacterial reverse mutation ass Result: negative	ay (AMES)
		Test Type: Chromosome aberration test ir Result: negative	ı vitro
		Test Type: In vitro mammalian cell gene n Result: negative	nutation test
		Test Type: In vitro sister chromatid exchai malian cells Result: negative	nge assay in mam-
Genc	otoxicity in vivo	: Test Type: Rodent dominant lethal test (g Species: Mouse Application Route: Skin contact Result: negative	ərm cell) (in vivo)
Ethv	lbenzene:		
-	otoxicity in vitro	: Test Type: Bacterial reverse mutation ass Result: negative	ay (AMES)
		Test Type: In vitro mammalian cell gene n Method: OECD Test Guideline 476 Result: negative	nutation test
		Test Type: Chromosome aberration test ir Result: negative	ı vitro
Genc	otoxicity in vivo	: Test Type: Unscheduled DNA synthesis (mammalian liver cells in vivo Species: Mouse Application Route: Inhalation	JDS) test with

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 11.1	Revision Date: 28.07.2023	SDS Number: 10623142-0001	Date of last issue: 21.03.2023 Date of first issue: 11.06.2010
		Method: OE Result: nega	CD Test Guideline 486 tive
Bariı	um sulfate:		
	Genotoxicity in vitro		acterial reverse mutation assay (AMES) tive ased on data from similar materials
		Result: nega	chromosome aberration test in vitro tive ased on data from similar materials
		Method: OE Result: nega	n vitro mammalian cell gene mutation test CD Test Guideline 476 tive ased on data from similar materials
	inogenicity lassified based on ava	ilable information.	
	ponents:		
Dime	ethyl ether:		
	cation Route sure time	: Rat : inhalation (v : 2 Years : negative	apour)
Xylei	ne:		
Spec Appli	ies cation Route sure time	: Rat : Ingestion : 103 weeks : negative	
Ethy	lbenzene:		
	cation Route sure time It	: Rat : inhalation (v : 104 weeks : positive : The mechan mans.	apour) ism or mode of action may not be relevant in hu-
Bariu	um sulfate:		
	cation Route sure time It	: Rat : Ingestion : 2 Years : negative : Based on da	ta from similar materials

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by



Commission Regulation (EU) 2020/878

Version 11.1	Revision Date: 28.07.2023		0S Number: 623142-00011	Date of last issue: 21.03.2023 Date of first issue: 11.06.2010
-	oductive toxicity lassified based on avai	lable	information.	
Com	ponents:			
Dime	thyl ether:			
Effec	ts on fertility	:	reproduction/de Species: Rat	bined repeated dose toxicity study with the velopmental toxicity screening test te: inhalation (vapour)
Effec ment	ts on foetal develop-	:	Species: Rat	ryo-foetal development te: inhalation (vapour)
n-Bu	tyl acetate:			
Effec	ts on fertility	:	Species: Rat Application Rou	generation reproduction toxicity study te: inhalation (vapour) Test Guideline 416
Effec ment	ts on foetal develop-	:	Species: Rat	ryo-foetal development te: inhalation (vapour)
Xyler	ne:			
-	ts on fertility	:	Species: Rat	-generation reproduction toxicity study te: inhalation (vapour)
Effec ment	ts on foetal develop-	:	Species: Rat	ryo-foetal development te: inhalation (vapour)
Ethyl	benzene:			
•	ts on fertility	:	Species: Rat Application Rou	-generation reproduction toxicity study te: inhalation (vapour) Test Guideline 416
Effect	ts on foetal develop-	:	Test Type: Emb	ryo-foetal development

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 11.1	Revision Date: 28.07.2023	-	S Number: 23142-00011	Date of last issue: 21.03.2023 Date of first issue: 11.06.2010			
ment			Species: Rat Application Route Method: OECD T Result: negative	e: Inhalation Fest Guideline 414			
Bariu	ım sulfate:						
Effec	ts on fertility		 Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials 				
Effec ment	ts on foetal develop-		Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative Remarks: Based on data from similar materials				
	Γ - single exposure cause drowsiness or diz	zzines	S.				
	ponents:						
Dime	thyl ether:						
Asse	Assessment :		May cause drows	siness or dizziness.			
n-Bu	tyl acetate:						
	ssment	:	: May cause drowsiness or dizziness.				
Xyler	ne:						
-	ssment	:	: May cause respiratory irritation.				
Not c	- repeated exposure lassified based on avail	able ii	nformation.				
<u>Com</u>	ponents:						
Targe	ne: sure routes et Organs ssment	:		rr) e significant health effects in animals at con- .2 to 1 mg/l/6h/d.			
Ethyl	benzene:						
Expo Targe	sure routes et Organs ssment	:	inhalation (vapou Auditory system Shown to produc	rr) e significant health effects in animals at con-			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 11.1	Revision Date: 28.07.2023	SDS Number: 10623142-00011	Date of last issue: 21.03.2023 Date of first issue: 11.06.2010
		centrations of >	0.2 to 1 mg/l/6h/d.
	um sulfate: ssment	: No significant he tions of 100 mg	ealth effects observed in animals at concentra- /kg bw or less.
Repe	eated dose toxicity		
Com	ponents:		
Spec NOAI Appli		: Rat : 47,11 mg/l : inhalation (vapo : 2 yr	ur)
Spec NOAI Appli		: Rat : 2,4 mg/l : inhalation (vapo : 90 Days	ur)
	ies EL cation Route sure time	: Rat : > 0,2 - 1 mg/l : inhalation (vapo : 13 Weeks : Based on data f	ur) rom similar materials
		: Rat : 150 mg/kg : Ingestion : 90 Days	
Spec LOAE Appli		: Rat : 0,868 mg/l : inhalation (vapo : 13 Weeks	ur)
Spec NOAI LOAE Applic Methe	EL EL cation Route	: Rat : 75 mg/kg : 250 mg/kg : Ingestion : OECD Test Gui	deline 408
Bariu Spec	um sulfate: ies	: Rat	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by



Commission Regulation (EU) 2020/878

LACQUER SPRAY QUATTRO RAL 6018 YELLOWGREEN - 400 ML

Version	Revision Date: 28.07.2023	SDS Number:	Date of last issue: 21.03.2023
11.1		10623142-00011	Date of first issue: 11.06.2010
	cation Route sure time	: 61,1 mg/kg : Ingestion : 90 Days : Based on data	from similar materials

Aspiration toxicity

Not classified based on available information.

Components:

Xylene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Ethylbenzene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Dimethyl ether:

Toxicity to fish	:	LC50 (Poecilia reticulata (guppy)): > 4.100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 4.400 mg/l Exposure time: 48 h
Toxicity to microorganisms	:	EC10 (Pseudomonas putida): > 1.600 mg/l
n-Butyl acetate: Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 18 mg/l Exposure time: 96 h



Ver: 11.1	sion 1	Revision Date: 28.07.2023		9S Number: 623142-00011	Date of last issue: 21.03.2023 Date of first issue: 11.06.2010
		to daphnia and other invertebrates	:	EC50 (Daphnia sp Exposure time: 48	o. (water flea)): 44 mg/l 3 h
	Toxicity plants	to algae/aquatic	:	mg/l Exposure time: 72 Method: OECD Te	
				NOEC (Pseudokirchneriella subcapitata (green algae)): 196 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials	
	Toxicity	to microorganisms	:	IC50 (Tetrahymen Exposure time: 40	na pyriformis): 356 mg/l) h
		to daphnia and other invertebrates (Chron- ty)	:	Method: OECD Te	magna (Water flea)
	Xylene:				
	Toxicity		:	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 13,5 mg/l 3 h
		to daphnia and other invertebrates	:	Exposure time: 24 Method: OECD Te	
	Toxicity plants	to algae/aquatic	:	EC50 (Skeletoner Exposure time: 72	na costatum (marine diatom)): 10 mg/l ? h
	Toxicity	to microorganisms	:	NOEC : > 100 mg Exposure time: 3 Method: OECD Te Remarks: Based o	h
	Toxicity icity)	to fish (Chronic tox-	:	NOEC: > 0,1 - < 1 Exposure time: 35 Species: Danio re Method: OECD Te Remarks: Based of	i d rio (zebra fish)
		to daphnia and other invertebrates (Chron- ty)	:	EL10: > 1 - 10 mg Exposure time: 21 Species: Daphnia Method: OECD Te	d magna (Water flea)

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by



Commission Regulation (EU) 2020/878

Version 11.1	Revision Date: 28.07.2023			Date of last issue: 21.03.2023 Date of first issue: 11.06.2010	
			Remarks: Based or	data from similar materials	
	nylbenzene: xicity to fish	:	LC50 (Oncorhynch Exposure time: 96 I Method: OECD Tes		
	xicity to daphnia and other uatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,8 - 2,4 mg/l Exposure time: 48 h		
	Toxicity to algae/aquatic plants		EC50 (Pseudokirchneriella subcapitata (green algae)): 3,6 mg/l Exposure time: 96 h		
			NOEC (Pseudokirc mg/l Exposure time: 96 l	nneriella subcapitata (green algae)): 3,4 n	
To	xicity to microorganisms	:	EC50 (Nitrosomona Exposure time: 24 I		
aq	xicity to daphnia and other uatic invertebrates (Chron- oxicity)	:	NOEC: 0,96 mg/l Exposure time: 7 d Species: Ceriodaph	nia dubia (water flea)	
Ва	rium sulfate:				
To	xicity to fish	:	Exposure time: 96 Method: OECD Tes		
	xicity to daphnia and other uatic invertebrates	:	Exposure time: 48 h	gna (Water flea)): > 10 - 100 mg/l n n data from similar materials	
	xicity to algae/aquatic nts	:	mg/l Exposure time: 72 h Method: OECD Tes		
			mg/l Exposure time: 72 h Method: OECD Tes		
То	xicity to microorganisms	:	EC50 : > 600 mg/l Exposure time: 3 h Method: OECD Tes	t Guideline 209	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Vers 11.1	ion	Revision Date: 28.07.2023		9S Number: 623142-00011	Date of last issue: 21.03.2023 Date of first issue: 11.06.2010
				Remarks: Based	on data from similar materials
				NOEC : > 600 mg Exposure time: 3 Method: OECD T Remarks: Based	h
		to daphnia and other invertebrates (Chron- y)	:		l d magna (Water flea) on data from similar materials
12.2	Persist	ence and degradabil	ity		
	Compo	nents:			
	Dimethy	yl ether:			
	Biodegra	adability	:	Result: Not readily Biodegradation: Exposure time: 28 Method: OECD T	5 %
	n-Butyl	acetate:			
	Biodegra	adability	:	Result: Readily bi Biodegradation: 8 Exposure time: 28 Method: OECD To	33 %
	Xylene:				
	Biodegra	adability	:		> 70 %
	Ethylbe	nzene:			
	Biodegra	adability	:	Result: Readily bi Biodegradation: 7 Exposure time: 28	70 - 80 %
12.3	Bioacc	umulative potential			
	Compo	nents:			
		yl ether: a coefficient: n- water	:	log Pow: 0,2	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LACQUER SPRAY QUATTRO RAL 6018 YELLOWGREEN - 400 ML

Version 11.1	Revision Date: 28.07.2023		Number: 3142-00011	Date of last issue: 21.03.2023 Date of first issue: 11.06.2010
Parti	u tyl acetate: ition coefficient: n- nol/water	: lo	og Pow: 2,3	
	n e: tion coefficient: n- nol/water		og Pow: 3,16 Remarks: Calcula	ation
Parti	/Ibenzene: ition coefficient: n- nol/water	: lo	og Pow: 3,6	
Bari	um sulfate:			
Bioa	ccumulation			s macrochirus (Bluegill sunfish) factor (BCF): < 500
	tion coefficient: n- nol/water		og Pow: -1,03 Remarks: Calcula	ation
	bility in soil lata available			
12.5 Res	ults of PBT and vPvB a	assess	ment	
Proc	luct:			
Asse	essment	to V	be either persis	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes

:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LACQUER SPRAY QUATTRO RAL 6018 YELLOWGREEN - 400 ML

Version 11.1	Revision Date: 28.07.2023	SDS Number: 10623142-00011	Date of last issue: 21.03.2023 Date of first issue: 11.06.2010
		Waste codes s discussion with	t specific, but application specific. hould be assigned by the user, preferably in the waste disposal authorities. of waste into sewer.
Conta	iminated packaging	dling site for re Empty containe Do not pressur pose such cont of ignition. The If not otherwise	ers should be taken to an approved waste han- cycling or disposal. ers retain residue and can be dangerous. ize, cut, weld, braze, solder, drill, grind, or ex- tainers to heat, flame, sparks, or other sources y may explode and cause injury and/or death. e specified: Dispose of as unused product. aerosol cans are sprayed completely empty ellant)
Waste	e Code	: The following V	Vaste Codes are only suggestions:
		containing haza 08 01 11, waste	s in pressure containers (including halons) ardous substances e paint and varnish containing organic solvents lous substances
		containing haza 08 01 11, waste	t s in pressure containers (including halons) ardous substances e paint and varnish containing organic solvents lous substances
		uncleaned pac 15 01 10, pack by hazardous s	aging containing residues of or contaminated
		Properly empti	g Act properly emptied packaging: ed, non-contaminated packaging of non- ducts can be supplied to a system for the col- packaging.

SECTION 14: Transport information

14.1 UN number or ID number

: UN 1950
: UN 1950

14.2 UN proper shipping name

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Vers 11.1	ion	Revision Date: 28.07.2023		OS Number: 623142-00011	Date of last issue: 21.03.2023 Date of first issue: 11.06.2010	
	ADN		:	AEROSOLS		
	ADR		:	AEROSOLS		
	RID		:	AEROSOLS		
	IMDG		:	AEROSOLS		
	ΙΑΤΑ		:	Aerosols, flammable		
14.3	Trans	port hazard class(es)				
				Class	Subsidiary risks	
	ADN		:	2	2.1	
	ADR		:	2	2.1	
	RID		:	2	2.1	
	IMDG		:	2.1		
	ΙΑΤΑ		:	2.1		
14.4	Packir	ng group				
		g group ication Code	:	Not assigned by r 5F 2.1	egulation	
	Classif Labels	g group ication Code restriction code	:	Not assigned by r 5F 2.1 (D)	egulation	
	Classif	g group ication Code I Identification Number	:	Not assigned by r 5F 23 2.1	egulation	
	IMDG Packin Labels EmS C		:	Not assigned by r 2.1 F-D, S-U	egulation	
	Packin aircraft Packin Packin Labels	g instruction (LQ) g group	: : :	203 Y203 Not assigned by r Flammable Gas	egulation	
	Packin ger airo	Passenger) g instruction (passen- craft) g instruction (LQ)	:	203 Y203		
		J	•			

Commission Regulation (EU) 2020/878



LACQUER SPRAY QUATTRO RAL 6018 YELLOWGREEN - 400 ML

Versi 11.1	ion	Revision Date: 28.07.2023		DS Number: 623142-00011	Date of last issue: 21.03.2023 Date of first issue: 11.06.2010
Packing group Labels 14.5 Environmental hazards		:	Not assigned by r Flammable Gas	regulation	
-	ADN Enviror	mentally hazardous	:	no	
-	ADR Enviror	mentally hazardous	:	no	
_	RID Environ	mentally hazardous	:	no	
-	IMDG Marine	pollutant	:	no	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your ven- dor.
		2-[(2-methoxy-4-nitrophenyl)azo]-N- (2-methoxyphenyl)-3-oxobutyramide (Number on list 75)
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Not applicable



LACQUER SPRAY QUATTRO RAL 6018 YELLOWGREEN - 400 ML

Version	Revision Date: 28.07.2023	SDS Number:	Date of last issue: 21.03.2023
11.1		10623142-00011	Date of first issue: 11.06.2010

REACH - List of substances subject to authorisation : Not applicable (Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P3a		FLAMMABLE AEROSOLS	Quantity 1 150 t	Quantity 2 500 t
Water hazard class (Germa- ny)	:	WGK 1 slightly hazardous to Classification according to A		2)
Volatile organic compounds	:	Directive 2004/42/EC VOC content in g/l: 669 g/l Product sub-category: Spec Coatings: All types VOC limit level 1 (2007): 840		
		Directive 2010/75/EU of 24 I emissions (integrated polluti Volatile organic compounds Remarks: VOC content excl	on prevention and (VOC) content: 8	d control)

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the prev are highlighted in the body of this document by two lines.	
Full text of H-Statements	
H220 : Extremely flammable gas.	
H225 : Highly flammable liquid and vapour.	
H226 : Flammable liquid and vapour.	
H280 : Contains gas under pressure; may explode if heate	ed.
H304 : May be fatal if swallowed and enters airways.	
H312 : Harmful in contact with skin.	
H315 : Causes skin irritation.	
H319 : Causes serious eye irritation.	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LACQUER SPRAY QUATTRO RAL 6018 YELLOWGREEN - 400 ML

Version 11.1	Revision Date: 28.07.2023	SDS Number: 10623142-00011	Date of last issue: 21.03.2023 Date of first issue: 11.06.2010	
H332 H335 H336 H373 H412 EUH06	66	 Harmful if inhaled. May cause respiratory irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. Harmful to aquatic life with long lasting effects. Repeated exposure may cause skin dryness or cracking. 		
Full te	xt of other abbreviation			
Acute	Tox. c Chronic ox. it. Gas Liq. Gas rit. RE SE 99/EC	 Acute toxicity Long-term (chror Aspiration hazare Eye irritation Flammable gase Flammable liquid Gases under pression Skin irritation Specific target of Europe. Commission list of indicative of Europe. Directive 	is Is	
DE TR DE TR TRGS 2000/3 2000/3 2004/3 2004/3 2006/1 2019/1 2019/1 DE TR	831/EU GS 527 GS 900	 Europe. Indicativ Europe. Commis fifth list of indicat Germany. TRGS Germany. TRGS 	sure limit sure limit sure limit ht hours ht hours sure limit le	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air



LACQUER SPRAY QUATTRO RAL 6018 YELLOWGREEN - 400 ML

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
11.1	28.07.2023	10623142-00011	Date of first issue: 11.06.2010

Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - Interna-tional Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
---	---	--

Classification of the mixture:		Classification procedure:
Aerosol 1	H222, H229	Based on product data or assessment
STOT SE 3	H336	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

DE / EN