

LACQUER SPRAY QUATTRO DB7354 ARGENTIT GREY - 400 ML

Version	Revision Date:	SDS Number:	Date of last issue: 28.07.2023
5.1	07.09.2023	10648098-00017	Date of first issue: 26.07.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	LACQUER SPRAY QUATTRO DB7354 ARGENTIT GREY - 400 ML
Product code	:	0893397354
Unique Formula Identifier (UFI)	:	WNE1-C0PH-G00C-T0FT

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	:	Paint Professional use product
Recommended restrictions on use	:	Not applicable

1.3 Details of the supplier of the safety data sheet

Company	:	Adolf Wuerth GmbH & Co. KG Reinhold-Würth-Str. 12-17 74653 Künzelsau
Telephone	:	+49 794015 0
Telefax	:	+49 794015 10 00
E-mail address of person responsible for the SDS	:	isi@wuerth.com

1.4 Emergency telephone number

+49 (0)6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.				
Specific target organ toxicity - single ex-	H336: May cause drowsiness or dizziness.				

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LACQUER SPRAY QUATTRO DB7354 ARGENTIT GREY - 400 ML

Version 5.1	Revision Date: 07.09.2023	-	3DS Num 0648098		Date of last issue: 28.07.2023 Date of first issue: 26.07.2018
posure	e, Category 3				
2.2 Label e	lements				
	ing (REGULATION (E d pictograms	EC) :	No 1272	2/2008)	
Signal	word	:	Dange	r	
Hazaro	d statements	:	H222 H229 H336	Pressurise	flammable aerosol. d container: May burst if heated. e drowsiness or dizziness.
Precautionary statements		:	Prevention:P210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.P211Do not spray on an open flame or other ignition so P251P251Do not pierce or burn, even after use.P261Avoid breathing spray.P271Use only outdoors or in a well-ventilated area.Storage:P410 + P412Protect from sunlight. Do not expose to the peratures exceeding 50 °C/ 122 °F.		gnition sources. No smoking. ay on an open flame or other ignition source. rce or burn, even after use. thing spray. utdoors or in a well-ventilated area.

Hazardous components which must be listed on the label:

Dimethyl ether n-Butyl acetate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



LACQUER SPRAY QUATTRO DB7354 ARGENTIT GREY - 400 ML

Version	Revision Date:	SDS Number:	Date of last issue: 28.07.2023
5.1	07.09.2023	10648098-00017	Date of first issue: 26.07.2018

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Components			
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Dimethyl ether	115-10-6 204-065-8 603-019-00-8 01-2119472128-37	Flam. Gas 1A; H220 Press. Gas Liquefied gas; H280 STOT SE 3; H336	>= 30 - < 50
n-Butyl acetate	123-86-4 204-658-1 607-025-00-1 01-2119485493-29	Flam. Liq. 3; H226 STOT SE 3; H336 EUH066	>= 20 - < 30
Xylene	1330-20-7 215-535-7 601-022-00-9 01-2119488216-32	Flam. Liq. 3; H226 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 STOT RE 2; H373 (Auditory system) Asp. Tox. 1; H304 Aquatic Chronic 3; H412 Acute toxicity esti- mate Acute inhalation tox- icity (vapour): 11 mg/l Acute dermal toxicity: 1.100 mg/kg	>= 2,5 - < 10
Ethylbenzene	100-41-4 202-849-4 601-023-00-4	Flam. Liq. 2; H225 Acute Tox. 4; H332 STOT RE 2; H373 (Auditory system) Asp. Tox. 1; H304 Aquatic Chronic 3; H412 Acute toxicity esti- mate Acute inhalation tox-	>= 1 - < 2,5
		icity (vapour): 17,8 mg/l	

For explanation of abbreviations see section 16.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by



Commission Regulation (EU) 2020/878

LACQUER SPRAY QUATTRO DB7354 ARGENTIT GREY - 400 ML

Version	Revision Date:	SDS Number:	Date of last issue: 28.07.2023
5.1	07.09.2023	10648098-00017	Date of first issue: 26.07.2018

SECTION 4: First aid measures

4.1 Description of first aid measures				
General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.		
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).		
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.		
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.		
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.		
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.		
4.2 Most important symptoms and effects, both acute and delayed				
Risks	:	May cause drowsiness or dizziness.		

4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LACQUER SPRAY QUATTRO DB7354 ARGENTIT GREY - 400 ML

Vers 5.1	sion	Revision Date: 07.09.2023		0S Number: 648098-00017	Date of last issue: 28.07.2023 Date of first issue: 26.07.2018	
5.2	Special	hazards arising from	the	substance or mix	xture	
Specific hazards during fire- fighting		:	Flash back possible over considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health. If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.			
	Hazard ucts	ous combustion prod-	:	Carbon oxides Nitrogen oxides (I Metal oxides Chlorine compour		
5.3	Advice	for firefighters				
	Specia for firef	l protective equipment ighters	:		e, wear self-contained breathing apparatus. tective equipment.	
	Specifi ods	c extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do	

SECTION 6: Accidental release measures

6.1 Personal precautions, protectiv	ve equipment and emergency procedures
Personal precautions :	Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
6.2 Environmental precautions	
Environmental precautions :	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
6.3 Methods and material for conta	ainment and cleaning up
Methods for cleaning up :	Non-sparking tools should be used. Soak up with inert absorbent material.

Suppress (knock down) gases/vapours/mists with a water spray jet. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LACQUER SPRAY QUATTRO DB7354 ARGENTIT GREY - 400 ML

Version	Revision Date:	SDS Number:	Date of last issue: 28.07.2023
5.1	07.09.2023	10648098-00017	Date of first issue: 26.07.2018
		Clean up remain bent. Local or nationa posal of this ma employed in the mine which regu Sections 13 and	re recovered material in appropriate container. hing materials from spill with suitable absor- al regulations may apply to releases and dis- terial, as well as those materials and items cleanup of releases. You will need to deter- ulations are applicable. I 15 of this SDS provide information regarding hational requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation. If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventila- tion.
Advice on safe handling	:	Do not get on skin or clothing. Do not breathe spray. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment. Do not spray on an open flame or other ignition source.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami- nated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Store locked up. Keep in a cool, well-ventilated place. Store in
areas and containers		accordance with the particular national regulations. Do not



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

LACQUER SPRAY QUATTRO DB7354 ARGENTIT GREY - 400 ML

Version 5.1	Revision Date: 07.09.2023	SDS Number: 10648098-00017	Date of last issue: 28.07.2023 Date of first issue: 26.07.2018
		pierce or burn, light.	even after use. Keep cool. Protect from sun-
Ad	vice on common storage	Self-reactive su Organic peroxi Oxidizing agen Flammable sol Pyrophoric liqu Pyrophoric soli Self-heating su	its ids ids ds ibstances and mixtures id mixtures, which in contact with water, emit
Sto	orage class (TRGS 510)	: 2B	
-	cific end use(s) ecific use(s)	: No data availal	
Op			

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
Dimethyl ether	115-10-6	TWA	1.000 ppm 1.920 mg/m3	2000/39/EC			
	Further inform	nation: Indicative					
		AGW	1.000 ppm 1.900 mg/m3	DE TRGS 900			
	Peak-limit: ex	cursion factor (categ	ory): 8;(II)				
n-Butyl acetate	123-86-4	STEL	150 ppm 723 mg/m3	2019/1831/E U			
	Further information: Indicative						
		TWA	50 ppm 241 mg/m3	2019/1831/E U			
	Further inform	Further information: Indicative					
		AGW	62 ppm 300 mg/m3	DE TRGS 900			
	Peak-limit: ex	cursion factor (categ	ory): 2;(I)				
		Further information: When there is compliance with the OEL and biologic tolerance values, there is no risk of harming the unborn child					
Titanium dioxide	13463-67-7	AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900			
	Peak-limit: ex	cursion factor (categ	ory): 2;(II)				

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LACQUER SPRAY QUATTRO DB7354 ARGENTIT GREY - 400 ML

ersion .1	Revision Da 07.09.2023			pate of last issue: 28.07.2023 Date of first issue: 26.07.2018				
				is compliance with the OEL a of harming the unborn child	nd biological			
			AGW (Alveolate fraction)	1,25 mg/m3 (Titanium dioxide)	DE TRGS 900			
		Peak-limit: ex	cursion factor (cate		1			
		Further inform	nation: When there	of harming the unborn child	nd biological			
Xylen	Э	1330-20-7	TWA	50 ppm 221 mg/m3	2000/39/EC			
		Further information: Identifies the possibility of significant uptake through the skin, Indicative						
			STEL	100 ppm 442 mg/m3	2000/39/EC			
		Further information: Identifies the possibility of significant uptake through the skin, Indicative						
			AGW	50 ppm 220 mg/m3	DE TRGS 900			
		Peak-limit: excursion factor (category): 2;(II)						
		Further information: Skin absorption						
Ethylb	enzene	100-41-4	TWA	100 ppm 442 mg/m3	2000/39/EC			
		Further information: Identifies the possibility of significant uptake through the skin, Indicative						
			STEL	200 ppm 884 mg/m3	2000/39/EC			
		Further inform skin, Indicativ	e	possibility of significant upta	0			
			AGW	20 ppm 88 mg/m3	DE TRGS 900			
			cursion factor (cate					
		Further information: Skin absorption, When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child						

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
Formaldehyde	50-00-0	TWA	0,3 ppm 0,37 mg/m3	2004/37/EC	
	Further inform	ation: Dermal sensit	isation, Carcinogens or muta	igens	
		STEL	0,6 ppm	2004/37/EC	
			0,74 mg/m3		
	Further information: Dermal sensitisation, Carcinogens or mutagens				
		AGW	0,3 ppm	DE TRGS	
			0,37 mg/m3	900	
	Peak-limit: ex	cursion factor (categ	ory): 2;(I)		
	Further inform activity or prod Ordinance - in	nation: Carcinogenic cedure according to addition, § 10 GefS	substance Cat. 1A or 1B or of § 2 (3) No. 4 of the Hazardou toffV must be observed, Who ogical tolerance values, there	us Substances en there is	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LACQUER SPRAY QUATTRO DB7354 ARGENTIT GREY - 400 ML

Ver 5.1	sion	Revision Date 07.09.2023		3 Number: 48098-00017		te of last issue: 28.07.2023 te of first issue: 26.07.2018	
			harming the	unborn child, Sub	star	nce sensitizing through the sl	kin
	Methar	lor	67-56-1	TWA		200 ppm 260 mg/m3	2006/15/EC
			Further inform through the s		, Ide	entifies the possibility of signi	ficant uptake
				AGW		100 ppm 130 mg/m3	DE TRGS 900
			Peak-limit: ex	xcursion factor (ca	ateg	ory): 2;(II)	
						on, When there is compliance ere is no risk of harming the	

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
Xylene	1330-20-7	methylhippuric acid (all isomers): 2.000 mg/l (Urine)	Immediately after exposure or after working hours	TRGS 903
Ethylbenzene	100-41-4	mandelic acid + phenylglyoxylic acid: 250 mg/g creatinine (Urine)	Immediately after exposure or after working hours	TRGS 903

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Xylene	Workers	Inhalation	Long-term systemic effects	221 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	442 mg/m3
	Workers	Inhalation	Long-term local ef- fects	221 mg/m3
	Workers	Inhalation	Acute local effects	442 mg/m3
	Workers	Skin contact	Long-term systemic effects	212 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	65,3 mg/m3
	Consumers	Inhalation	Acute systemic ef- fects	260 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	65,3 mg/m3
	Consumers	Inhalation	Acute local effects	260 mg/m3
	Consumers	Skin contact	Long-term systemic effects	125 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	12,5 mg/kg bw/day
Ethylbenzene	Workers	Inhalation	Long-term systemic effects	77 mg/m3
	Workers	Inhalation	Acute local effects	293 mg/m3
	Workers	Skin contact	Long-term systemic effects	180 mg/kg bw/day

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



sion	Revision Date: 07.09.2023			of last issue: 28.07.2023 of first issue: 26.07.2018	
		Consumers	Inhalation	Long-term systemic effects	15 mg/m3
		Consumers	Ingestion	Long-term systemic effects	1,6 mg/kg bw/day
n-Butyl acetate	Workers	Inhalation	Acute systemic ef- fects	600 mg/m3	
		Workers	Inhalation	Acute local effects	600 mg/m3
		Workers	Inhalation	Long-term systemic effects	300 mg/m3
		Workers	Inhalation	Long-term local ef- fects	300 mg/m3
		Consumers	Inhalation	Acute systemic ef- fects	300 mg/m3
		Consumers	Inhalation	Acute local effects	300 mg/m3
		Consumers	Inhalation	Long-term systemic effects	35,7 mg/m
		Consumers	Inhalation	Long-term local ef- fects	35,7 mg/m
		Consumers	Skin contact	Long-term systemic effects	11 mg/kg bw/day
		Consumers	Skin contact	Acute systemic ef- fects	11 mg/kg bw/day
		Consumers	Skin contact	Long-term systemic effects	6 mg/kg bw/day
		Consumers	Skin contact	Acute systemic ef- fects	6 mg/kg bw/day
		Consumers	Ingestion	Long-term systemic effects	2 mg/kg bw/day
		Consumers	Ingestion	Acute systemic ef- fects	2 mg/kg bw/day
Dimet	hyl ether	Workers	Inhalation	Long-term systemic effects	1894 mg/m
		Consumers	Inhalation	Long-term systemic effects	471 mg/m3
nitrop metho	methoxy-4- henyl)azo]-N-(2- oxyphenyl)-3- ityramide	Workers	Inhalation	Long-term systemic effects	49 mg/m3
		Workers	Inhalation	Long-term local ef- fects	3 mg/m3
		Workers	Skin contact	Long-term systemic effects	42 mg/kg bw/day
		Consumers	Skin contact	Long-term systemic effects	25 mg/kg bw/day
		Consumers	Ingestion	Long-term systemic effects	25 mg/kg bw/day
Diiron	trioxide	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
		Workers	Inhalation	Long-term systemic effects	10 mg/m3
1-[(2,4	1_	Consumers	Ingestion	Long-term systemic	2,8 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LACQUER SPRAY QUATTRO DB7354 **ARGENTIT GREY - 400 ML**

sion	Revision Date: 07.09.2023			of last issue: 28.07.2023 of first issue: 26.07.2018	
Dinitro napht	ophenyl)azo]-2- hol			effects	bw/day
	on black	Workers	Inhalation	Long-term local ef- fects	0,5 mg/m3
Pigme	ent Blue 15	Workers	Inhalation	Long-term systemic effects	4 mg/m3
		Workers	Skin contact	Long-term systemic effects	450 mg/kg bw/day
		Consumers	Skin contact	Long-term systemic effects	225 mg/kg bw/day
		Consumers	Ingestion	Long-term systemic effects	45 mg/kg bw/day
4-[(2,4 trichlo phe- nyl)az		Workers	Inhalation	Long-term systemic effects	49 mg/m3
		Workers	Inhalation	Long-term local ef- fects	3 mg/m3
		Workers	Skin contact	Long-term systemic effects	42 mg/kg bw/day
		Consumers	Skin contact	Long-term systemic effects	25 mg/kg bw/day
		Consumers	Ingestion	Long-term systemic effects	25 mg/kg bw/day
C.I. P	igment violet 19	Workers	Inhalation	Long-term systemic effects	147 mg/m3
		Workers	Inhalation	Long-term local ef- fects	3 mg/m3
		Workers	Skin contact	Long-term systemic effects	42 mg/kg bw/day
		Consumers	Skin contact	Long-term systemic effects	25 mg/kg bw/day
		Consumers	Ingestion	Long-term systemic effects	25 mg/kg bw/day
C.I. P	igment Green 7	Workers	Inhalation	Long-term systemic effects	4 mg/m3
		Workers	Skin contact	Long-term systemic effects	450 mg/kg bw/day
		Consumers	Skin contact	Long-term systemic effects	225 mg/kg bw/day
		Consumers	Ingestion	Long-term systemic effects	45 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Xylene	Fresh water	0,327 mg/l
	Intermittent use/release	0,327 mg/l
	Marine water	0,327 mg/l
	Sewage treatment plant	6,58 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LACQUER SPRAY QUATTRO DB7354 ARGENTIT GREY - 400 ML

sion	Revision Date: 07.09.2023	SDS Number:Date of last issue:10648098-00017Date of first issue:	
		Fresh water sediment	12,46 mg/kg dr weight (d.w.)
		Marine sediment	12,46 mg/kg dr weight (d.w.)
		Soil	2,31 mg/kg dry weight (d.w.)
Ethvl	benzene	Fresh water	0,1 mg/l
		Freshwater - intermittent	0,1 mg/l
		Marine water	0,01 mg/l
		Sewage treatment plant	9,6 mg/l
		Fresh water sediment	13,7 mg/kg dry weight (d.w.)
		Marine sediment	1,37 mg/kg dry weight (d.w.)
		Soil	2,68 mg/kg dry weight (d.w.)
		Oral (Secondary Poisoning)	20 mg/kg food
n-But	tyl acetate	Fresh water	0,18 mg/l
	, ,	Marine water	0,018 mg/l
		Sewage treatment plant	35,6 mg/l
		Fresh water sediment	0,981 mg/kg dr weight (d.w.)
		Marine sediment	0,098 mg/kg dr weight (d.w.)
		Soil	0,09 mg/kg dry weight (d.w.)
Dime	thyl ether	Fresh water	0,155 mg/l
Dimo		Marine water	0,016 mg/l
		Intermittent use/release	1,549 mg/l
		Sewage treatment plant	160 mg/l
		Fresh water sediment	0,681 mg/kg dr weight (d.w.)
		Marine sediment	0,069 mg/kg dr weight (d.w.)
		Soil	0,045 mg/kg dr weight (d.w.)
Carbo	on black	Fresh water	1 mg/l
		Freshwater - intermittent	10 mg/l
		Marine water	0,1 mg/l
		Marine water - intermittent	1 mg/l
Pigm	ent Blue 15	Fresh water sediment	10 mg/kg
	-	Marine sediment	1 mg/kg
		Soil	1 mg/kg
C.I. P	Pigment Green 7	Fresh water sediment	10 mg/kg
	<u> </u>	Marine sediment	1 mg/kg
		Soil	1 mg/kg

8.2 Exposure controls

Engineering measures

Processing may form hazardous compounds (see section 10).

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LACQUER SPRAY QUATTRO DB7354 ARGENTIT GREY - 400 ML

Versior 5.1	n Revision Date: 07.09.2023		0S Number: 648098-00017	Date of last issue: 28.07.2023 Date of first issue: 26.07.2018				
lf s If a	inimize workplace exposure sufficient ventilation is unav advised by assessment of th psion-proof exhaust ventilat	ailal he lo	ole, use with local e	exhaust ventilation. ntial, use only in an area equipped with ex-				
Pe	Personal protective equipment							
Ey	/e/face protection	:	Safety glasses	g personal protective equipment: I conform to DIN EN 166				
Ha	and protection							
	Material Break through time Glove thickness Directive	:	Nitrile rubber > 30 min 0,4 mm Equipment should	I conform to DIN EN 374				
	Remarks	:	on the concentrat stance and specif we recommend cl aforementioned p	protect hands against chemicals depending ion and quantity of the hazardous sub- ic to place of work. For special applications, arifying the resistance to chemicals of the rotective gloves with the glove manufactur- efore breaks and at the end of workday.				
Sk	kin and body protection	:	resistance data ar potential. Wear the following If assessment der atmospheres or fl protective clothing Skin contact must	e protective clothing based on chemical and an assessment of the local exposure g personal protective equipment: nonstrates that there is a risk of explosive ash fires, use flame retardant antistatic g. be avoided by using impervious protective aprons, boots, etc).				
Re	espiratory protection	:	sure assessment ommended guide	exhaust ventilation is not available or expo- demonstrates exposures outside the rec- lines, use respiratory protection. I conform to DIN EN 137				
	Filter type	:	Self-contained bre	eathing apparatus				

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: aerosol
Propellant	: Dimethyl ether

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Vers 5.1	ion	Revision Date: 07.09.2023		S Number: 348098-00017	Date of last issue: 28.07.2023 Date of first issue: 26.07.2018
	Colour		:	coloured	
	Odour		:	aromatic	
	Odour 1	Threshold	:	No data available	
	Melting	point/freezing point	:	No data available	
	Initial be range	piling point and boiling	:	-24 °C	
	Flamma	ability (solid, gas)	:	Extremely flamma	able aerosol.
		explosion limit / Upper bility limit	:	18,6 %(V)	
		explosion limit / Lower bility limit	:	1,1 %(V)	
	Flash p	oint	:	Not applicable	
	Auto-igi	nition temperature	:	235 °C	
	Decom	position temperature	:	No data available)
	pН		:	Solvent mixture; aqueous solution	pH value determination not possible, no
	Viscosit Visc	y osity, kinematic	:	Not applicable	
	Flow tin	ne	:	20 s at 20 °C Cross section: 4 Method: DIN 532	
	Solubili Wat	ty(ies) er solubility	:	immiscible, partly	miscible
	Partition	n coefficient: n-	:	Not applicable	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LACQUER SPRAY QUATTRO DB7354 ARGENTIT GREY - 400 ML

Versior 5.1	n Revisi 07.09	on Date: 2023		S Number: 648098-00017	Date of last issue: 28.07.2023 Date of first issue: 26.07.2018
OC	tanol/water				
Vapour pressure		ire	:	5.200 hPa (20 °C	;)
Density			:	0,8 g/cm³ (20 °C)	
Re	Relative vapour density		:	Not applicable	
Particle characteristics Particle size			:	Not applicable	
	er informat plosives	lion	:	Not explosive	
Ox	kidizing prop	erties	:	The substance of	r mixture is not classified as oxidizing.
Ev	aporation ra	ite	:	Not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	 Extremely flammable aerosol. Vapours may form explosive mixture with air. If the temperature rises there is danger of the vessels bursting due to the high vapor pressure. Can react with strong oxidizing agents. Hazardous decomposition products will be formed at elevated temperatures.
10.4 Conditions to avoid	

Conditions to avoid	: Heat, flames and sparks.
---------------------	----------------------------

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 5.1	Revision Date: 07.09.2023)S Number: 648098-00017	Date of last issue: 28.07.2023 Date of first issue: 26.07.2018
10.6 Haz	ardous decomposition	oro	ducts	
	rmal decomposition	:		
SECTIO	N 11: Toxicological in	for	mation	
11.1 Info	rmation on hazard class	ses	as defined in Reg	ulation (EC) No 1272/2008
	rmation on likely routes of osure	:	Inhalation Skin contact Ingestion Eye contact	
	te toxicity classified based on availa	ble	information.	
Pro	duct:			
Acut	te inhalation toxicity	:	Acute toxicity esti Exposure time: 4 Test atmosphere: Method: Calculati	h : vapour
Acut	te dermal toxicity	:	Acute toxicity esti Method: Calculati	mate: > 2.000 mg/kg on method
<u>Con</u>	nponents:			
Dim	ethyl ether:			
Acut	te inhalation toxicity	:	LC50 (Rat): 1640 Exposure time: 4 Test atmosphere:	h
n-Bi	utyl acetate:			
Acut	te oral toxicity	:	LD50 (Rat): > 5.0	00 mg/kg
Acut	te inhalation toxicity	:	LC50 (Rat): > 21, Exposure time: 4 Test atmosphere: Method: OECD T	h
Acut	te dermal toxicity	:	LD50 (Rabbit): >	5.000 mg/kg
Xyle	ene:			
-	te oral toxicity	:		3 mg/kg e 67/548/EEC, Annex V, B.1.
Acut	te inhalation toxicity	:	Acute toxicity esti Exposure time: 4	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ersion .1	Revision Date: 07.09.2023		S Number: 648098-00017	Date of last issue: 28.07.2023 Date of first issue: 26.07.2018
			Test atmospher Method: Expert Remarks: Base	
Acute	Acute dermal toxicity		Method: Expert	stimate: 1.100 mg/kg judgement d on national or regional regulation.
Ethyl	benzene:			
Acute	oral toxicity	:	LD50 (Rat): 3.5	00 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): 17, Exposure time: Test atmospher	4 h
Acute	e dermal toxicity	:	LD50 (Rabbit):	> 5.000 mg/kg
Skin	corrosion/irritation			
Not cl	assified based on ava	ailable	information.	
Produ				
Resul	t	:	Repeated expo	sure does not cause skin dryness or cracking
Com	oonents:			
n-But	tyl acetate:			
Speci Resul		:	Rabbit No skin irritatior	1
Asses	ssment	:	Repeated expo	sure may cause skin dryness or cracking.
Xylen	ie:			
Speci Resul		:	Rabbit Skin irritation	
Serio	us eye damage/eye i	irritati	on	
	assified based on ava			
<u>Comp</u>	oonents:			
n-But	yl acetate:			
Speci Metho Resul	bd	:	Rabbit OECD Test Gui No eye irritation	
Xylen	le:			
Speci Resul	es	:	Rabbit Irritation to eyes	s, reversing within 21 days
			17/33	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LACQUER SPRAY QUATTRO DB7354 ARGENTIT GREY - 400 ML

Revision Date:	SDS Num
07.09.2023	10648098

S Number: 648098-00017 Date of last issue: 28.07.2023 Date of first issue: 26.07.2018

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

n-Butyl acetate:

:	Maximisation Test
:	Skin contact
:	Guinea pig
:	negative
	:

Xylene:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Dimethyl ether:

Binotiyi othori		
Genotoxicity in vitro	Μ	est Type: Bacterial reverse mutation assay (AMES) ethod: OECD Test Guideline 471 esult: negative
	Μ	est Type: Chromosome aberration test in vitro ethod: OECD Test Guideline 473 esult: negative
	М	est Type: In vitro mammalian cell gene mutation test ethod: OECD Test Guideline 476 esult: negative
Genotoxicity in vivo	ar Aj	est Type: Sex-linked recessive lethal test in Drosophila mel- nogaster (in vivo) pplication Route: inhalation (gas) esult: negative
n-Butyl acetate:		
Genotoxicity in vitro		est Type: Bacterial reverse mutation assay (AMES) esult: negative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



rsion	Revision Date: 07.09.2023	SDS Number: 10648098-0001	Date of last issue: 28.07.2023 7 Date of first issue: 26.07.2018
Xylen	le:		
Genotoxicity in vitro		: Test Type: E Result: nega	acterial reverse mutation assay (AMES) tive
		Test Type: C Result: nega	Chromosome aberration test in vitro
		Test Type: Iı Result: nega	n vitro mammalian cell gene mutation test tive
		Test Type: Ir malian cells Result: nega	n vitro sister chromatid exchange assay in mam- tive
Geno	toxicity in vivo	Species: Mo	Route: Skin contact
Ethyl	benzene:		
Geno	toxicity in vitro	: Test Type: E Result: nega	acterial reverse mutation assay (AMES) tive
			n vitro mammalian cell gene mutation test CD Test Guideline 476 tive
		Test Type: C Result: nega	Chromosome aberration test in vitro
Geno	toxicity in vivo	mammalian Species: Mo Application F	Route: Inhalation CD Test Guideline 486
Carci	nogenicity		
	assified based on ava	ailable information.	
<u>Com</u>	oonents:		
Dime	thyl ether:		
Speci		: Rat	, ,
	cation Route sure time	: inhalation (v : 2 Years	apour)
Resul		: negative	
Xylen	ie:		
Speci		: Rat	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 5.1	Revision Date: 07.09.2023	SDS Number:Date of last issue: 28.07.202310648098-00017Date of first issue: 26.07.2018	
	lication Route osure time ult	: Ingestion : 103 weeks : negative	
-	/lbenzene:		
Expo Res	lication Route osure time	 Rat inhalation (vapour) 104 weeks positive The mechanism or mode of action may not be relevant i mans. 	n hu-
-	roductive toxicity classified based on avai	ble information.	
Con	nponents:		
Dim	ethyl ether:		
Effe	cts on fertility	 Test Type: Combined repeated dose toxicity study with treproduction/developmental toxicity screening test Species: Rat Application Route: inhalation (vapour) Result: negative 	the
Effe men	cts on foetal develop- t	: Test Type: Embryo-foetal development Species: Rat Application Route: inhalation (vapour) Result: negative	
n-Bı	utyl acetate:		
Effe	cts on fertility	 Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: inhalation (vapour) Method: OECD Test Guideline 416 Result: negative 	
Effe men	cts on foetal develop- t	: Test Type: Embryo-foetal development Species: Rat Application Route: inhalation (vapour) Result: negative	
Xyle	ene:		
Effe	cts on fertility	 Test Type: One-generation reproduction toxicity study Species: Rat Application Route: inhalation (vapour) Result: negative 	
Effe men	cts on foetal develop- t	: Test Type: Embryo-foetal development Species: Rat	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ersion 1	Revision Date: 07.09.2023	SDS Number: 10648098-00017	Date of last issue: 28.07.2023 Date of first issue: 26.07.2018
		Application R Result: nega	toute: inhalation (vapour) tive
-	benzene: s on fertility	Species: Rat	
			toute: inhalation (vapour) CD Test Guideline 416 tive
Effect ment	s on foetal develop-	Species: Rat Application R	coute: Inhalation CD Test Guideline 414
	- single exposure cause drowsiness or d	izziness	
-	conents:	122111633.	
	thyl ether:		
	ssment	: May cause d	rowsiness or dizziness.
	yl acetate:		
Asses	ssment	: May cause d	rowsiness or dizziness.
Xyler	ie:		
Asses	ssment	: May cause re	espiratory irritation.
	- repeated exposure		
<u>Com</u>	oonents:		
Xyler	ie:		
Targe	sure routes et Organs ssment		
Ethyl	benzene:		
Targe	sure routes et Organs ssment	: inhalation (va : Auditory syst : Shown to pro	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LACQUER SPRAY QUATTRO DB7354 ARGENTIT GREY - 400 ML

Version 5.1	Revision Date: 07.09.2023	SDS Number: 10648098-00017	Date of last issue: 28.07.2023 Date of first issue: 26.07.2018
Repea	ated dose toxicity		
<u>Comp</u>	oonents:		
Dimet	thyl ether:		
		: Rat : 47,11 mg/l : inhalation (vapo : 2 yr	ur)
n-But	yl acetate:		
		: Rat : 2,4 mg/l : inhalation (vapo : 90 Days	ur)
Xylen	e:		
	L cation Route sure time	: Rat : > 0,2 - 1 mg/l : inhalation (vapo : 13 Weeks : Based on data f	ur) rom similar materials
		: Rat : 150 mg/kg : Ingestion : 90 Days	
Ethyll	benzene:		
		: Rat : 0,868 mg/l : inhalation (vapo : 13 Weeks	ur)
Specie NOAE LOAE Applic Metho	EL L ation Route	: Rat : 75 mg/kg : 250 mg/kg : Ingestion : OECD Test Gui	deline 408

Aspiration toxicity

Not classified based on available information.

Components:

Xylene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.



LACQUER SPRAY QUATTRO DB7354 ARGENTIT GREY - 400 ML

Version	Revision Date:	SDS Number:	Date of last issue: 28.07.2023
5.1	07.09.2023	10648098-00017	Date of first issue: 26.07.2018

Ethylbenzene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Dimethyl ether:

Toxicity to fish	:	LC50 (Poecilia reticulata (guppy)): > 4.100 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 4.400 mg/l Exposure time: 48 h	
Toxicity to microorganisms	:	EC10 (Pseudomonas putida): > 1.600 mg/l	
n-Butyl acetate:			
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 18 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia sp. (water flea)): 44 mg/l Exposure time: 48 h	
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 397 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials	
		NOEC (Pseudokirchneriella subcapitata (green algae)): 196 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Vers 5.1	sion	Revision Date: 07.09.2023		9S Number: 648098-00017	Date of last issue: 28.07.2023 Date of first issue: 26.07.2018
	Toxicity	to microorganisms	:	IC50 (Tetrahymer Exposure time: 40	na pyriformis): 356 mg/l) h
		to daphnia and other invertebrates (Chron- ty)	:	Method: OECD Te	magna (Water flea)
	Xylene	:			
	Toxicity		:	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 13,5 mg/l 5 h
		to daphnia and other invertebrates	:	Exposure time: 24 Method: OECD Te	
	Toxicity plants	to algae/aquatic	:	EC50 (Skeletoner Exposure time: 72	na costatum (marine diatom)): 10 mg/l 2 h
	Toxicity	to microorganisms	:	NOEC : > 100 mg Exposure time: 3 Method: OECD Te Remarks: Based of	h
	Toxicity icity)	to fish (Chronic tox-	:	NOEC: > 0,1 - < 1 Exposure time: 35 Species: Danio re Method: OECD Te Remarks: Based of	5 d rio (zebra fish)
		to daphnia and other invertebrates (Chron- ty)	:	Method: OECD Te	l d magna (Water flea)
	Ethylbe	enzene:			
	Toxicity		:	LC50 (Oncorhync Exposure time: 96 Method: OECD Te	
		to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 1,8 - 2,4 mg/l 3 h
	Toxicity plants	to algae/aquatic	:	EC50 (Pseudokiro mg/l Exposure time: 96	chneriella subcapitata (green algae)): 3,6 Sh

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Ver 5.1	Version Revision Date: 5.1 07.09.2023			0S Number: 648098-00017	Date of last issue: 28.07.2023 Date of first issue: 26.07.2018
				NOEC (Pseudoki mg/l Exposure time: 9	rchneriella subcapitata (green algae)): 3,4 6 h
	Toxicit	y to microorganisms	:	EC50 (Nitrosomo Exposure time: 24	
		y to daphnia and other c invertebrates (Chron- ity)	:	NOEC: 0,96 mg/l Exposure time: 7 Species: Cerioda	d phnia dubia (water flea)
12.2	2 Persis	stence and degradabil	ity		
	Comp	onents:			
	Dimet	hyl ether:			
	Biodeg	gradability	:	Result: Not readil Biodegradation: Exposure time: 24 Method: OECD T	5 %
	n-Buty	/I acetate:			
	Biodeg	gradability	:	Result: Readily b Biodegradation: Exposure time: 20 Method: OECD T	83 %
	Xylene	9:			
	-	radability	:		> 70 %
	Ethvlb	enzene:			
	-	gradability	:	Result: Readily b Biodegradation: Exposure time: 26	70 - 80 %
12.3	Bioac	cumulative potential			
	Comp	onents:			
	Partitic	h yl ether: on coefficient: n- l/water	:	log Pow: 0,2	
	n-Buty	/l acetate:			



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Version 5.1	Revision Date: 07.09.2023		lumber: 098-00017	Date of last issue: 28.07.2023 Date of first issue: 26.07.2018
	rtition coefficient: n- anol/water	: Ιος	9 Pow: 2,3	
Ху	lene:			
Pa	rtition coefficient: n- anol/water) Pow: 3,16 marks: Calcula	tion
Etl	nylbenzene:			
	rtition coefficient: n- anol/water	: log	J Pow: 3,6	
	obility in soil data available			
12.5 Re	sults of PBT and vPvB a	ssessm	ent	
Pre	oduct:			
As	sessment	to ve	be either persis	ixture contains no components considered tent, bioaccumulative and toxic (PBT), or d very bioaccumulative (vPvB) at levels of
12.6 Er	docrine disrupting prop	erties		
Pre	oduct:			
	sessment	ere RE (E	ed to have endo ACH Article 57	xture does not contain components consid- ocrine disrupting properties according to '(f) or Commission Delegated regulation r Commission Regulation (EU) 2018/605 at nigher.
	her adverse effects data available			
		dovotio		
SECH	ON 13: Disposal consi	ueratio	115	
13.1 Wa	aste treatment methods			
Pro	oduct	Ac are Wa dis	cording to the E e not product sp aste codes sho ccussion with th	ordance with local regulations. European Waste Catalogue, Waste Codes becific, but application specific. uld be assigned by the user, preferably in e waste disposal authorities. waste into sewer.

Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or ex-
		Do not pressurize, cut, weiu, braze, soluer, unii, grinu, or ex-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LACQUER SPRAY QUATTRO DB7354 ARGENTIT GREY - 400 ML

Version 5.1	Revision Date: 07.09.2023	SDS Number: 10648098-00017	Date of last issue: 28.07.2023 Date of first issue: 26.07.2018
		of ignition. The If not otherwis	ntainers to heat, flame, sparks, or other sources ey may explode and cause injury and/or death. e specified: Dispose of as unused product. e aerosol cans are sprayed completely empty pellant)
Wast	e Code	: The following	Waste Codes are only suggestions:
		containing haz 08 01 11, was	es in pressure containers (including halons) zardous substances te paint and varnish containing organic solvents dous substances
		containing has 08 01 11, was	ct es in pressure containers (including halons) zardous substances te paint and varnish containing organic solvents dous substances
		uncleaned par 15 01 10, pac by hazardous	kaging containing residues of or contaminated
		Properly empt	ng Act properly emptied packaging: ied, non-contaminated packaging of non- oducts can be supplied to a system for the col- s packaging.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 1950
ADR	:	UN 1950
RID	:	UN 1950
IMDG	:	UN 1950
ΙΑΤΑ	:	UN 1950
14.2 UN proper shipping name		
ADN	:	AEROSOLS
ADR	:	AEROSOLS
RID	:	AEROSOLS
IMDG	:	AEROSOLS
ΙΑΤΑ	:	Aerosols, flammable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 5.1	Revision Date: 07.09.2023	SDS Number: 10648098-00017	Date of last issue: 28.07.2023 Date of first issue: 26.07.2018
14.3 Trans	sport hazard class(es)		
		Class	Subsidiary risks
ADN		: 2	2.1
ADR		: 2	2.1
RID		: 2	2.1
IMDG	ì	: 2.1	
ΙΑΤΑ		: 2.1	
14.4 Pack	ing group		
	ng group ification Code s	: Not assigned b : 5F : 2.1	y regulation
Class Label	ng group ification Code s el restriction code	: Not assigned b : 5F : 2.1 : (D)	y regulation
Class	ng group ification Code rd Identification Number s	: Not assigned b : 5F : 23 : 2.1	y regulation
IMDG Packi Label EmS	ng group s	: Not assigned b : 2.1 : F-D, S-U	y regulation
Packi aircra Packi	ng instruction (LQ) ng group	: 203 : Y203 : Not assigned b : Flammable Gas	
Packi ger ai Packi	(Passenger) ing instruction (passen- ircraft) ing instruction (LQ) ing group	: 203 : Y203 : Not assigned b : Flammable Gas	
	s ronmental hazards	. Hammable Ga	·
ADN			
	onmentally hazardous	: no	
ADR Envire	onmentally hazardous	: no	
		28/33	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

LACQUER SPRAY QUATTRO DB7354 ARGENTIT GREY - 400 ML

5.1 07.09.2023 10648098-00017 Date of first issue: 26.07.2018	Version	Revision Date:	SDS Number:	Date of last issue: 28.07.2023
	5.1	07.09.2023	10648098-00017	Date of first issue: 26.07.2018

RID

Environmentally hazardous	:	no
IMDG		
Marine pollutant	:	no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your ven- dor.
		3-Hydroxy-N-(o-tolyl)-4-[(2,4,5- trichlorophenyl)azo]naphthalene-2- carboxamide (Number on list 75) 2-[(2-methoxy-4-nitrophenyl)azo]-N- (2-methoxyphenyl)-3-oxobutyramide (Number on list 75)
		Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the condi- tions in corresponding Regulation to determine whether an entry is appli- cable to the placing on the market or not.
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by



Commission Regulation (EU) 2020/878

Version 5.1	Revision Date: 07.09.2023		OS Number: 648098-00017		ast issue: 28.07.20 rst issue: 26.07.20	
me	gulation (EC) No 649/2012 ant and the Council concerr dangerous chemicals				Not applicable	
	ACH - List of substances s nnex XIV)	subj	ect to authorisation	: 1	Not applicable	
	veso III: Directive 2012/18/ ijor-accident hazards involv					
P3	a		FLAMMABLE AE	ROSOLS	Quantity 1 150 t	Quantity 2 500 t
Wa ny)	ater hazard class (Germa-	:	WGK 1 slightly ha Classification acc		o water wSV, Annex 1 (5.2	2)
ΤΑ	Luft List (Germany)	:	Not applicable 5.2.4: Inorganic s Not applicable 5.2.5: Organic Su Class 1: 0,08 % F 5.2.7.1.1: Carcino Not applicable 5.2.7.1.1: Formale Not applicable 5.2.7.1.1: fibres: Not applicable 5.2.7.1.2: Germ o Not applicable 5.2.7.1.3: Substat Not applicable	ubstances bstances: Phthalic an ogenic subs fine dust F dehyde: ell mutage nces toxic	hydride stance: PM4:	
Vo	latile organic compounds	:	emissions (integra	/I: 669 g/l gory: Spec s (2007): 84 /EU of 24 ated polluti ompounds	0 g/l November 2010 or ion prevention and (VOC) content: 85	control)

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by



Commission Regulation (EU) 2020/878

LACQUER SPRAY QUATTRO DB7354 ARGENTIT GREY - 400 ML

Version	Revision Date:	SDS Number:	Date of last issue: 28.07.2023
5.1	07.09.2023	10648098-00017	Date of first issue: 26.07.2018

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information	
Other information :	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.
Full text of H-Statements	
H220 :	Extremely flammable gas.
H225 :	Highly flammable liquid and vapour.
H226 :	Flammable liquid and vapour.
H280 :	Contains gas under pressure; may explode if heated.
H304 :	May be fatal if swallowed and enters airways.
H312 :	Harmful in contact with skin.
H315 :	Causes skin irritation.
H319 :	Causes serious eye irritation.
H332 :	Harmful if inhaled.
H335 :	May cause respiratory irritation.
H336 :	May cause drowsiness or dizziness.
H373 :	May cause damage to organs through prolonged or repeated exposure.
H412 :	Harmful to aquatic life with long lasting effects.
EUH066 :	Repeated exposure may cause skin dryness or cracking.
Full text of other abbreviations	S
Acute Tox. :	Acute toxicity
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Asp. Tox. :	Aspiration hazard
Eye Irrit. :	Eye irritation
Flam. Gas :	Flammable gases
Flam. Liq. :	Flammable liquids
Press. Gas :	Gases under pressure
Skin Irrit. :	Skin irritation
STOT RE :	Specific target organ toxicity - repeated exposure
STOT SE :	Specific target organ toxicity - single exposure
2000/39/EC :	Europe. Commission Directive 2000/39/EC establishing a first
2004/37/EC :	list of indicative occupational exposure limit values Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LACQUER SPRAY QUATTRO DB7354 ARGENTIT GREY - 400 ML

Version	Revision Date: 07.09.2023	SDS Number:	Date of last issue: 28.07.2023
5.1		10648098-00017	Date of first issue: 26.07.2018
DE TF TRGS 2000/3 2000/3 2004/3 2004/3 2006/ ² 2019/ ² 2019/ ²	1831/EU RGS 900	: Europe. Comm fifth list of indic : Germany. TRC	oosure limit oosure limit oosure limit eight hours eight hours oosure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

:

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LACQUER SPRAY QUATTRO DB7354 ARGENTIT GREY - 400 ML

			last issue: 28.07.2023 first issue: 26.07.2018
--	--	--	---

Classification of the mixture:		Classification procedure:
Aerosol 1	H222, H229	Based on product data or assessment
STOT SE 3	H336	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

DE / EN